

ISSUE DATE: September 2013

REVISION DATE: January 2022

VERSION: 1

1. IDENTIFICATION

PRODUCT IDENTIFIER

PRODUCT NAME GLENZOIL 20+

OTHER MEANS OF IDENTIFICATION

SDS Number E-014

Recommended Uses Asphalt sealer

SDS-SUPPLIER INFORMATION

SUPPLIER ADDRESS E-ZOIL Products, Inc.
DBA Emulso
2750 Kenmore Avenue
Tonawanda, NY 14150

EMERGENCY TELEPHONE NUMBER

COMPANY PHONE NUMBER (716) 854-2889
COMPANY FAX NUMBER (716) 854-2809
24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686)
NORTH AMERICA 1-800-633-8253
INTERNATIONAL PERS 1-801-629-0667

2. HAZARDS IDENTIFICATION

CLASSIFICATION

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 1

SIGNAL WORD Danger

HAZARD STATEMENTS



HAZARD STATEMENTS 1. Causes skin irritation
2. Causes serious eye damage

APPEARANCE: Amber Liquid PHYSICAL STATE: Liquid

PRECAUTIONARY STATEMENTS

PREVENTION Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

RESPONSE Immediately call poison center or doctor/ physician.



Safety Data Sheet

IF SWALLOWED	Call POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.
IF IN EYES	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention.
IF ON SKIN/HAIR	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse.
IF INHALED	Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a poison center or doctor/physician if you feel unwell.
IF EXPOSED/CONCERNED	Get medical advice/ attention.
STORAGE	Store locked-up. Keep away from children.
DISPOSAL	Dispose of contents/container to an approved waste disposal plant.
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)	N/A
OTHER INFORMATION	Harmful to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	WEIGHT - %
Tall oil	8002-26-4	10-15
Potassium hydroxide	1310-58-3	1-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	Provide this SDS to medical personnel for treatment.
EYE CONTACT	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
SKIN CONTACT	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
INHALATION	Remove person to fresh air and keep at rest in a position comfortable for breathing. Immediately call poison center or doctor/ physician.



Safety Data Sheet

INGESTION Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink 1-2 glasses of water. Immediate medical attention is required.

POTENTIAL ACUTE HEALTH EFFECTS

Most important symptoms and effects, both acute and delayed

SYMPTOMS Causes skin irritation. Causes serious eye damage.

NOTES TO PHYSICIAN Treat symptomatically

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

UNSUITABLE EXTINGUISHING MEDIA None known

SPECIFIC HAZARDS ARISING FROM CHEMICAL Not determined

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/ NIOSH (approved and equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

PERSONAL PRECAUTIONS Use personal protective equipment as required.
ENVIRONMENTAL PRECAUTIONS See Section 12 for additional Ecological Information.

METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

CONTAMINATION Prevent further leakage or spillage is safe to do so
CLEAN-UP Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

PROTECTIVE MEASURES Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Do not breathe dust/fume/gas/mist/vapor/spray. Do not eat, drink, or smoke when using this product. Use personal protection recommended in Section 8.

CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES)

STORAGE CONDITIONS Keep containers tightly closed in a dry, cool and well-ventilated place.

INCOMPATIBLE MATERIALS None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

ENGINEERING CONTROLS: Apply technical measures to comply with the occupational exposure limits.

INDIVIDUAL PROTECTION MEASURES

EYE/FACE PROTECTION	Refer to 29 CFR 1910.133 for eye and face protection regulations.
SKIN/BODY PROTECTION	Refer to 29 CFR 1910.138 for appropriate skin and body protection.
RESPIRATORY PROTECTION	Refer to 29 CFR 1910.134 for respiratory protection requirements.
GENERAL HYGIENE	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Liquid
APPEARANCE	Amber Liquid
COLOR	Amber
ODOR	Characteristic
ODOR THRESHOLD	Not determined
pH	Not determined
MELTING POINT/FREEZING POINT	Not determined
BOILING POINT/BOILING RANGE	Not determined
FLASH POINT	Not determined
EVAPORATION RATE	Not determined
FLAMMABILITY (SOLID, GAS)	Liquid- Not Applicable
UPPER FLAMMABILITY LIMITS	Not determined
LOWER FLAMMABILITY LIMITS	Not determined
VAPOR PRESSURE	Not determined
SPECIFIC GRAVITY	Not determined
RELATIVE DENSITY	Not determined
WATER SOLUBILITY	Not determined
PARTITION COEFFICIENT	Not determined
N-OCTANOL/ WATER	Not determined
AUTO-IGNITION TEMPERATURE	Not determined
DECOMPOSITION TEMPERATURE	Not determined
VISCOSITY	Not determined

10. STABILITY AND REACTIVITY

REACTIVITY Not reactive under normal conditions

CHEMICAL STABILITY	Stable under recommended storage conditions
POSSIBILITY OF HAZARDOUS REACTIONS	None under normal processing
CONDITIONS TO AVOID	Keep out of reach of children
INCOMPATIBLE MATERIALS	None known based on information supplied.
HAZARDOUS DECOMPOSITION PRODUCTS	None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure.

EYE CONTACT	Causes severe eye damage.
SKIN CONTACT	Avoid contact with skin.
INHALATION	Avoid breathing vapors or mists.
INGESTION	May be harmful if swallowed.

COMPONENT INFORMATION

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Tall oil 8002-26-4	= 7600 mg/kg (Rat)	-	-
Potassium hydroxide 1310-58-3	= 284 mg/kg (Rat)	-	-

SYMPTOMS Please see section 4 of this SDS for symptoms.

CARCINOGENICITY Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

NUMERICAL MEASURES OF TOXICITY-PRODUCT Not determined.

12. ECOLOGICAL INFORMATION

ECOTOXICITY Toxic to aquatic life with long lasting effects.

CHEMICAL NAME	ALGAE/ AQUATIC PLANTS	FISH	TOXIC TO MICROORGANISMS	CRUSTACEA
Tall oil 8002-26-4	0.87: 72 h Pseudokirchneriella subcapitata mg/L EC50	5.0 - 10.0: 96 h Brachydanio rerio mg/L LC50 static	-	39.7: 48 h Daphnia magna mg/L EC50
Potassium hydroxide 1310-58-3	1.01: 72 h Desmodesmus subspicatus mg/L EC50	80: 96 h Gambusia affinis mg/L LC50 static	-	-

PERSISTENCE AND DEGRADABILITY Not determined

BIOACCUMULATION Not determined



MOBILITY

Chemical Name	Partition Coefficient
Tall oil	3.5 - 5.4
8002-26-4	6.1 - 8.2
Potassium hydroxide	0.65
1310-58-3	0.83
OTHER ADVERSE EFFECTS	Not determined

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

WASTE DISPOSAL	Disposal should be in accordance with applicable regional, national and local laws and regulations.
CONTAMINATED PACKAGING	Disposal should be in accordance with applicable regional, national and local laws and regulations.

CHEMICAL NAME CALIFORNIA HAZARDOUS WASTE STATUS

Potassium hydroxide	Toxic
1310-58-3	Corrosive

14. TRANSPORT INFORMATION

DOT

Not regulated

IATA

Not regulated

IMDG

Marine Pollutant This material may meet the definition of a marine pollutant.

15. REGULATORY INFORMATION

INTERNATIONAL INVENTORIES

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Tall oil	Present	X		Present		Present	X	Present	X	X
Potassium hydroxide	Present	X		Present		Present	X	Present	X	X

LEGEND

TSCA	United States Toxic Substances Control Act Section 8(B) Inventory
DSL/NDSL	Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS	European Inventory of Existing/Notified Chemical Substances
ENCS	Japan Existing and New Chemical Substances



Safety Data Sheet

IECSC China Inventory of Existing Chemical Substances
KECL Korean Existing and Evaluated Chemical Substances
PICCS Philippines Inventory of Chemicals and Chemical Substances

U.S. FEDERAL REGULATIONS

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 313/312 HAZARD CATEGORIES

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

CLEAN WATER ACT (CWA)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide	1000 lb			X

U.S. STATE REGULATIONS

CALIFORNIA PROPOSITION 65

This product does not contain any Proposition 65 chemicals.

U.S. STATE RIGHT-TO-KNOW REGULATIONS

CHEMICAL NAME	NEW JERSEY	MASSACHUSETTS	PENNSYLVANIA
Potassium hydroxide 1310-58-3	X	X	X

16. OTHER INFORMATION

NFPA	HEALTH HAZARDS	FLAMMABILITY	INSTABILITY	SPECIAL HAZARDS
	Not determined	Not determined	Not determined	Not determined
HMIS	HEALTH HAZARDS	FLAMMABILITY	PHYSICAL HAZARDS	PERSONAL PROTECTION
	Not determined	Not determined	Not determined	Not determined

DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

END OF SAFETY DATA SHEET