

**ISSUE DATE:** September 2013

**REVISION DATE:** January 2022

VERSION: 1

1. IDENTIFICATION

PRODUCT IDENTIFIER

PRODUCT NAME ALL TEMPERATURE SANI

#### **OTHER MEANS OF IDENTIFICATION**

Recommended UsesHard surface cleanerRestrictions on UseNone known

### SDS-SUPPLIER INFORMATION

SUPPLIER ADDRESS

E-ZOIL Products, Inc. **DBA Emulso** 2750 Kenmore Avenue Tonawanda, NY 14150

#### EMERGENCY TELEPHONE NUMBER

COMPANY PHONE NUMBER (716) 854-2889 COMPANY FAX NUMBER (716) 854-2809 24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686) NORTH AMERICA 800-535-5053 INTERNATIONAL 352-323-3500


## 2. HAZARDS IDENTIFICATION

### **CLASSIFICATION**

Corrosive to metals Category 1 Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Specific target organ toxicity, single exposure Hazardous to the aquatic environment, acute hazard Category 1 Category 3 respiratory tract irritation Category 1 Category 1 Category 1 Category 2

SIGNAL WORD Danger

### HAZARD STATEMENTS





	PRECAUTIONARY STATEMENTS
PREVENTION	Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe mist or vapor. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Keep only in original container. Avoid release to the environment.
RESPONSE	Immediately call poison center or doctor/ physician.
IF SWALLOWED	Call POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.
IF IN EYES	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention.
IF ON SKIN/HAIR	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse.
IF INHALED	Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a poison center or doctor/physician if you feel unwell.
IF EXPOSED/CONCERNED	Get medical advice/ attention.
STORAGE	Store locked-up. Keep away from children. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.
DISPOSAL	Dispose of contents/container in accordance with local/regional/national/international regulations.
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)	None known.
OTHER INFORMATION	Contact with acids liberates toxic gas.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

CHEMICAL NAME	CAS NUMBER	WEIGHT - %
Sodium hypochlorite	7681-52-9	5-17
Sodium hydroxide	1310-73-2	0.10-4.25



# 4. FIRST-AID MEASURES

#### **DESCRIPTION OF FIRST AID MEASURES**

- **GENERAL ADVICE** Provide this SDS to medical personnel for treatment.
  - **EYE CONTACT** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
  - **SKIN CONTACT** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
    - **INHALATION** Remove person to fresh air and keep at rest in a position comfortable for breathing. Immediately call poison center or doctor/ physician.
    - **INGESTION** Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink 1-2 glasses of water. Immediate medical attention is required.

#### POTENTIAL ACUTE HEALTH EFFECTS

Most important symptoms and effects, both acute and delayed

**SYMPTOMS** Permanent eye damage including blindness could result.

**NOTES TO PHYSICIAN** Treat symptomatically

## **5. FIRE-FIGHTING MEASURES**

SUITABLE EXTINGUISHING MEDIA	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
UNSUITABLE EXTINGUISHING MEDIA	Do not use water jet as an extinguisher, as this will spread the fire. Do not use dry extinguishing media that contains ammonium compounds.
SPECIFIC HAZARDS ARISING FROM CHEMICAL	During fire, gases hazardous to health may be formed.

### PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/ NIOSH (approved and equivalent) and full protective gear.



# 6. ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

PERSONAL PRECAUTIONSUse personal protective equipment as required.ENVIRONMENTAL PRECAUTIONSSee Section 12 for additional Ecological Information.

### METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

CONTAMINATION CLEAN-UP CLEAN-UP Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

### PRECAUTIONS FOR SAFE HANDLING

PROTECTIVE MEASURES	Wear appropriate personal protective equipment. Do not get in eyes, on skin, on clothing. Use with adequate ventilation. Observe good industrial hygiene practices. Do not apply heat or direct sunlight. Temperature and product concentration affect product quality and decomposition rates.		
CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES)			
STORAGE CONDITIONS	Keep container tightly closed. Store in a cool and well-ventilated place. Store in a corrosive resistant container. Consult container manufacturer for additional guidance. Store away from and do not mix with incompatible materials such as acids, oxidizers, organics, reducing agents, and all metals except titanium.		

**INCOMPATIBLE MATERIALS** Acids, oxidizers, organics, reducing agents, and all metals except titanium.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **EXPOSURE GUIDELINES**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hypochlorite 7681-52-9	STEL: 2 mg/m	STEL: 2 mg/m	STEL: 2 mg/m
Sodium hydroxide 1310-73-2	CEILING: 2 mg/m	PEL: 2 mg/m	CEILING: 2 mg/m



**ENGINEERING CONTROLS:** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

### INDIVIDUAL PROTECTION MEASURES

EYE/FACE PROTECTION SKIN/BODY PROTECTION RESPIRATORY PROTECTION GENERAL HYGIENE

Refer to 29 CFR 1910.133 for eye and face protection regulations.
Refer to 29 CFR 1910.138 for appropriate skin and body protection.
Refer to 29 CFR 1910.134 for respiratory protection requirements.
Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Liquid
APPERANCE	Liquid
COLOR	Not determined
ODOR	Pungent
ODOR THRESHOLD	0.9 mg/m <sup>3</sup>
pH	12 - 14 (25 °C/77 °F)
MELTING POINT/FREEZING POINT	-4 °F (-20 °C) (7% solution)
<b>BOILING POINT/BOILING RANGE</b>	Not determined
FLASH POINT	Not determined
EVAPORATION RATE	Not determined
FLAMMABILITY (SOLID, GAS)	Not determined
UPPER FLAMMABILITY LIMITS	Not determined
LOWER FLAMMABILITY LIMITS	Not determined
VAPOR PRESSURE	12 mm Hg (20°C/68°F)
SPECIFIC GRAVITY	Not determined
RELATIVE DENSITY	Not determined
WATER SOLUBILITY	Completely miscible
PARTITION COEFFICIENT	Not determined
N-OCTANOL/ WATER	Not determined
AUTO-IGNITION TEMPERATURE	Not determined
DECOMPOSITION TEMPERATURE	Not determined
VISCOSITY	Not determined

## **10. STABILITY AND REACTIVITY**

**REACTIVITY** Not reactive under normal conditions



CHEMICAL STABILITY POSSIBILITY OF HAZARDOUS REACTIONS Stable under recommended storage conditions None under normal processing Keep out of reach of children. Contact with incompatible materials. Avoid ultraviolet (UV) light sources. Excessive heat. Reacts violently with strong acids. Acid contact will produce chlorine gas. Amine contact will produce chloramines.

Strong oxidizing agents. Acids. Metals. Organic compounds.

INCOMPATIBLE MATERIALS

CONDITIONS TO AVOID

HAZARDOUS DECOMPOSITION PRODUCTS

None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

Ammonia.

Information on likely routes of exposure.

	Causes eye burns. Causes skin burns.
INHALATION	Vapors and spray mist may irritate throat and respiratory system and cause coughing.
INGESTION	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract.

## **COMPONENT INFORMATION**

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Sodium hydrochlorite	3-5 g/kg (Rat)	>2 g/kg (Rabbit)	-
7681-52-9			

**SYMPTOMS** Please see section 4 of this SDS for symptoms.

**CARCINOGENICITY** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

NUMERICAL MEASURES OF TOXICITY-PRODUCT Not determined.

## 12. ECOLOGICAL INFORMATION

**ECOTOXICITY** Harmful to aquatic life with long lasting effects.

CHEMICAL NAME	ALGAE/ AQUATIC PLANTS	FISH	TOXIC TO MICROORGANISMS	CRUSTACEA
Sodium hydrochlorite <b>7681-52-9</b>	-	LC50: Bluegill (Lepomis macrochirus) 0.6 mg/l, 48 hours	-	LC50: Daphnia 1 mg/l

PERSISTENCE AND DEGRADABILITYNot determinedBIOACCUMULATIONNot determinedOTHER ADVERSE EFFECTSNot determined



## **13. DISPOSAL CONSIDERATIONS**

### WASTE TREATMENT METHODS

WASTE DISPOSAL	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with
CONTAMINATED PACKAGING	local/regional/national/international regulations. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## **14. TRANSPORT INFORMATION**

## DOT

UN Number UN1791 UN Proper Shipping Name Hypochlorite solution Transport Hazard Class 8 Packing Group III

### ΙΑΤΑ

UN Number UN1791 UN Proper Shipping Name Hypochlorite solution Transport Hazard Class 8 Packing Group III

#### IMDG

UN Number UN1791 UN Proper Shipping Name Hypochlorite solution Transport Hazard Class 8 Packing Group III

Page 7 / 9



# **15. REGULATORY INFORMATION**

## LEGEND

**TSCA** United States Toxic Substances Control Act Section 8(B) Inventory

# **U.S. FEDERAL REGULATIONS**

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Substances RQs CER	CLA/SARA RQ Reportab	le Quantity (RQ)

7681-52-9

## SARA 313/312 HAZARD CATEGORIES

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

## CLEAN WATER ACT (CWA)

This product does not contain any substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **U.S. STATE REGULATIONS**

## **U.S. STATE RIGHT-TO-KNOW REGULATIONS**

CHEMICAL NAME	NEW JERSEY	MASSACHUSETTS	PENNSYLVANIA
Sodium hydroxide 1310-73-2	x	X	x
Sodium hydrochlorite <b>7681-52-9</b>	x	x	x

# **16. OTHER INFORMATION**

NFPA	HEALTH HAZARDS	FLAMMABILITY	INSTABILITY	SPECIAL HAZARDS
	3	Not determined	Not determined	Not determined
	HEALTH HAZARDS	FLAMMABILITY	PHYSICAL HAZARDS	PERSONAL PROTECTION
HMIS				



# DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**END OF SAFETY DATA SHEET**