

ISSUE DATE: September 2013

REVISION DATE: January 2022

VERSION: 1

1. IDENTIFICATION

PRODUCT IDENTIFIER PRODUCT NAME FOAM BRUSH

OTHER MEANS OF IDENTIFICATION SDS Number E-015

Recommended Uses Cleaning agent

SDS-SUPPLIER INFORMATION

SUPPLIER ADDRESS

E-ZOIL Products, Inc. **DBA Emulso** 2750 Kenmore Avenue Tonawanda, NY 14150

EMERGENCY TELEPHONE NUMBER

COMPANY PHONE NUMBER (716) 854-2889 COMPANY FAX NUMBER (716) 854-2809 24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686) NORTH AMERICA 1-800-633-8253 INTERNATIONAL PERS 1-801-629-0667

2. HAZARDS IDENTIFICATION

CLASSIFICATION

Carcinogenicity Category 1A

SIGNAL WORD: Danger

HAZARD STATEMENTS



HAZARD STATEMENTS 1. May cause cancer

APPEARANCE According to product specification PHYSICA

PHYSICAL STATE Liquid

PRECAUTIONARY STATEMENTS

PREVENTIONObtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required

RESPONSE If exposed or concerned: Get medical advice/attention



0T00405

~ .

Safety Data Sheet

| STORAGE | Store locked-up. Keep away from children. |
|--|--|
| DISPOSAL | Dispose of contents/container to an approved waste disposal plant. |
| HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) | N/A |
| OTHER INFORMATION | Toxic to aquatic life with long lasting effects. |
| | |

1. 11. 1

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME Alkyl Benzene Sulfonic Acid Ethyl Alcohol Cocomide DEA Diethanolamine CAS NUMBER 85536-14-7 64-17-5 68603-42-9 111-42-2 WEIGHT - % 10-15 <1 <1 <1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE Provide this SDS to medical personnel for treatment.

- **EYE CONTACT** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
- **SKIN CONTACT** Wash off immediately with plenty of water for at least 15 minutes.
 - **INHALATION** Remove to fresh air.

INGESTION Clean mouth with water and drink afterwards plenty of water.

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

POTENTIAL ACUTE HEALTH EFFECTS

Most important symptoms and effects, both acute and delayed

SYMPTOMS Not determined.

NOTES TO PHYSICIAN Treat symptomatically

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.



UNSUITABLE EXTINGUISHING MEDIA None known

SPECIFIC HAZARDS ARISING FROM CHEMICAL Not determined

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/ NIOSH (approved and equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

PERSONAL PRECAUTIONS Use personal protective equipment as required. **ENVIRONMENTAL PRECAUTIONS** See Section 12 for additional Ecological Information.

METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

CONTAMINATIONPrevent further leakage or spillage is safe to do soCLEAN-UPKeep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

| PROTECTIVE MEASURES | Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. |
|------------------------|--|
| CONDITIONS FOR | SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES) |
| STORAGE CONDITIONS | Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. |
| INCOMPATIBLE MATERIALS | None known based on information supplied. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES

Chemical Name Ethyl Alcohol 64-17-5 ACGIH TLV STEL: 1000 ppm OSHA PEL TWA: 1000 ppm TWA: 1900 mg/m3 (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m3 NIOSH IDLH IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m3



Diethanolamine 111-42-2

TWA: 1 mg/m3 inhalable fraction and vapor S*

TWA: 400 ppm (vacated) TWA: 3 ppm (vacated) TWA: 15 mg/m3 (vacated) STEL: 1225 mg/m3

TWA: 3 ppm TWA: 15 mg/m3

ENGINEERING CONTROLS: Apply technical measures to comply with the occupational exposure limits.

INDIVIDUAL PROTECTION MEASURES

EYE/FACE PROTECTION SKIN/BODY PROTECTION **RESPIRATORY PROTECTION**

Refer to 29 CFR 1910.133 for eye and face protection regulations. Refer to 29 CFR 1910.138 for appropriate skin and body protection. Refer to 29 CFR 1910.134 for respiratory protection requirements. **GENERAL HYGIENE** Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

| Liquid According to product specification Not determined |
|--|
| Not determined Not determined |
| 9.69 Not determined |
| Not determined Not determined |
| Not determined Liquid- Not Applicable |
| Not determined |
| Not determined |
| 1.0355 Not determined |
| Not determined Not determined |
| Not determined Not determined Not determined Not determined |
| |

10. STABILITY AND REACTIVITY

REACTIVITY CHEMICAL STABILITY **POSSIBILITY OF HAZARDOUS REACTIONS** CONDITIONS TO AVOID INCOMPATIBLE MATERIALS HAZARDOUS DECOMPOSITION PRODUCTS

Not reactive under normal conditions Stable under recommended storage conditions None under normal processing Keep out of reach of children None known based on information supplied. None known based on information supplied.



11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure.

EYE CONTACT Avoid contact with eyes. SKIN CONTACT Avoid contact with skin. **INHALATION** Do not inhale. **INGESTION** Do not ingest.

COMPONENT INFORMATION

| CHEMICAL NAME | ORAL LD50 | DERMAL LD50 | INHALATION LC50 |
|--------------------------------|---|-----------------------|-----------------------|
| Alkyl Benzene Sulfonic Acid | = 1219 mg/kg (Rat) | - | - |
| 85536-14-7 | | | |
| Ethyl Alcohol 64-17-5 | = 7060 mg/kg (Rat) | - | = 124.7 mg/L (Rat)4 h |
| Cocomide DEA 68603-42-9 | = 12400 μL/kg (Rat) | - | - |
| Diethanolamine 111-42-2 | = 620 μL/kg (Rat) = 0.62 mL/kg (Rat) | = 7640 µL/kg (Rabbit) | - |

SYMPTOMS Please see section 4 of this SDS for symptoms.

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Ethanol has CARCINOGENICITY been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|----------------|-------|----------|-------|------|
| Ethyl Alcohol | A3 | Group 1 | Known | Х |
| 64-17-5 | | | | |
| Cocomide DEA | | Group 2B | | X |
| 68603-42-9 | | | | |
| Diethanolamine | A3 | Group 2B | | X |
| 111-42-2 | | | | |

LEGEND

| ACGIH | (American Conference of Governmental Industrial Hygienists) |
|----------|---|
| A3 | Animal Carcinogen |
| IARC | (International Agency for Research on Cancer) |
| Group 1 | Carcinogenic to Humans |
| Group 2B | Possibly Carcinogenic to Humans |
| NTP | (National Toxicology Program) |
| Known | Known Carcinogen |
| OSHA | (Occupational Safety and Health Administration of the US Department of Labor) |
| Х | Present |

NUMERICAL MEASURES OF TOXICITY-PRODUCT Not determined.



12. ECOLOGICAL INFORMATION

ECOTOXICITY Toxic to aquatic life with long lasting effects.

| CHEMICAL | ALGAE/ AQUATIC | | TOXIC TO | |
|---|--|--|---|--|
| NAME | PLANTS | FISH | MICROORGANISMS | CRUSTACEA |
| Alkyl Benzene Sulfonic Acid 85536-14-7 | 36: 72 h Desmodesmus subspicatus mg/L EC50 | 5.6: 96 h Cyprinus carpio mg/L LC50 flow-through | | 5.2: 48 h Daphnia magna mg/L EC50 4.2: 24 h |
| Cocomide DEA 68603-42-9 | - | 3.6: 96 h Brachydanio rerio mg/L LC50 semi-static | | Daphnia magna mg/L EC50 9268 - 14221: |
| Ethyl Alcohol 64-17-5 | - | 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static | EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min | 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50 |
| Diethanolamine 111-42-2 | 7.8: 72 h Desmodesmus subspicatus mg/L EC50 2.1 - 2.3: 96 h Pseudokirchneriella subcapitata mg/L EC50 | 4460 - 4980: 96 h Pimephales promelas mg/L LC50 flow-through 1200 - 1580: 96 h Pimephales promelas mg/L LC50 static 600 - 1000: 96 h Lepomis macrochirus mg/L LC50 static | EC50 = 73 mg/L 5 min EC50 > 16 mg/L 16 h | 55: 48 h Daphnia magna mg/L EC50 |
| | PERSISTENCE AND BI | DEGRADABILITY Not dete DACCUMULATION Not dete MOBILITY | | |
| | | Chemical Name Partition Coe | efficient | |
| | Alkyl Benzei | ne Sulfonic Acid 2 | | |
| | | 85536-14-7 | | |
| | | Ethyl Alcohol -0.32 | | |
| | | 64-17-5 | | |
| | [| Diethanolamine -2.18 | | |
| | | 111-42-2 | | |
| | OTHER A | DVERSE EFFECTS Not dete | rmined | |
| | | | | |

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

WASTE DISPOSAL

Disposal should be in accordance with applicable regional, national and local laws and regulations.



CONTAMINATED PACKAGING

Disposal should be in accordance with applicable regional, national and local laws and regulations.

CALIFORNIA HAZARDOUS WASTE STATUS

CHEMICAL NAME CALIFORNIA HAZARDOUS WASTE STATUS

Ethyl Alcohol Toxic 64-17-5 Ignitable

14. TRANSPORT INFORMATION

NOTE Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

Not regulated

ΙΑΤΑ

Not regulated

IMDG

Marine Pollutant This material may meet the definition of a marine pollutant.

15. REGULATORY INFORMATION

INTERNATIONAL INVENTORIES

| Chemical Name | TSCA | DSL | NDSL EINECS | ELINCS ENC | 5 IECSC | KECL | PICCS | AICS |
|------------------------|---------|-----|-------------|------------|---------|---------|-------|------|
| Alkyl Benzene Sulfonic | Present | Х | Present | | Х | Present | Х | Х |
| Acid | | | | | | | | |
| Ethyl Alcohol | Present | Х | Present | Prese | nt X | Present | Х | Х |
| Cocomide DEA | Present | Х | Present | Prese | nt X | Present | Х | Х |
| Diethanolamine | Present | Х | Present | Prese | nt X | Present | Х | Х |

LEGEND

United States Toxic Substances Control Act Section 8(B) TSCA Inventory DSL/NDSL Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS European Inventory of Existing/Notified Chemical Substances ENCS Japan Existing and New Chemical Substances IECSC China Inventory of Existing Chemical Substances KECL Korean Existing and Evaluated Chemical Substances PICCS Philippines Inventory of Chemicals and Chemical Substances AICS Australian Inventory of Chemical Substances

U.S. FEDERAL REGULATIONS

CERCLA



This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

| Chemical Name Hazardous Substances RQs CERCLA/SARA RQ Reportable Quantity (RQ | Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---|---------------|--------------------------|----------------|--------------------------|
|---|---------------|--------------------------|----------------|--------------------------|

Diethanolamine 111-42-2

100 lb

RQ 100 lb final RQ

RQ 45.4 kg final RQ

California Proposition 65

Carcinogen

Developmental

Carcinogen

Carcinogen

SARA 313/312 HAZARD CATEGORIES

Not determined

CLEAN WATER ACT (CWA)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

U.S. STATE REGULATIONS

CALIFORNIA PROPOSITION 65

This product contains the following Proposition 65 chemicals.

Chemical Name Ethyl Alcohol 64-17-5 Cocomide DEA 68603-42-9 Diethanolamine 111-42-2

U.S. STATE RIGHT-TO-KNOW REGULATIONS

| CHEMICAL NAME | NEW JERSEY | MASSACHUSETTS | PENNSYLVANIA |
|----------------------------|------------|---------------|--------------|
| Ethyl Alcohol 64-17-5 | x | x | x |
| Diethanolamine 111-42-2 | x | x | x |

16. OTHER INFORMATION

| NFPA | HEALTH HAZARDS | FLAMMABILITY | INSTABILITY | SPECIAL HAZARDS |
|------|----------------|-----------------------------------|------------------|---------------------|
| NEFA | Not determined | Not determined | Not determined | Not determined |
| | | | | |
| | | — · · · · · · · · · · · · · · · · | | |
| HMIS | HEALTH HAZARDS | FLAMMABILITY | PHYSICAL HAZARDS | PERSONAL PROTECTION |

DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

END OF SAFETY DATA SHEET