

ISSUE DATE: September 2013

REVISION DATE: January 2022

VERSION: 1

## 1. IDENTIFICATION

### PRODUCT IDENTIFIER

PRODUCT NAME LIQUID SUNSHINE

### OTHER MEANS OF IDENTIFICATION

Product Code E-064

Recommended Uses Furniture polish

### SDS-SUPPLIER INFORMATION

SUPPLIER ADDRESS E-ZOIL Products, Inc.  
**DBA Emulso**  
2750 Kenmore Avenue  
Tonawanda, NY 14150

### EMERGENCY TELEPHONE NUMBER

COMPANY PHONE NUMBER (716) 854-2889  
COMPANY FAX NUMBER (716) 854-2809  
24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686)  
NORTH AMERICA 1-800-633-8253  
INTERNATIONAL PERS 1-801-629-0667

## 2. HAZARDS IDENTIFICATION

### CLASSIFICATION

Aspiration toxicity Category 1

SIGNAL WORD Danger

### HAZARD STATEMENTS



HAZARD STATEMENTS 1. May be fatal if swallowed and enters airways

APPEARANCE: Liquid

PHYSICAL STATE: Liquid

### PRECAUTIONARY STATEMENTS

PREVENTION Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection

RESPONSE Immediately call poison center or doctor/ physician.



## Safety Data Sheet

<b>IF SWALLOWED</b>	Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
<b>IF IN EYES</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician
<b>IF ON SKIN/HAIR</b>	Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse
<b>IF INHALED</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a poison center or doctor/physician if you feel unwell.
<b>IF EXPOSED/CONCERNED</b>	Get medical advice/ attention.
<b>STORAGE</b>	Store locked-up. Keep away from children.
<b>DISPOSAL</b>	Dispose of contents/container to an approved waste disposal plant.
<b>HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)</b>	N/A

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	WEIGHT - %
Petroleum distillates, hydrotreated light naphthenic	64742-53-6	80-90
Isopropyl Alcohol	67-63-0	0.1-0.5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

#### DESCRIPTION OF FIRST AID MEASURES

<b>GENERAL ADVICE</b>	Provide this SDS to medical personnel for treatment.
<b>EYE CONTACT</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists.
<b>SKIN CONTACT</b>	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Get medical attention if irritation develops or persists.
<b>INHALATION</b>	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist.

**INGESTION** Immediately call a poison center or doctor/physician. Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.

## POTENTIAL ACUTE HEALTH EFFECTS

*Most important symptoms and effects, both acute and delayed*

**SYMPTOMS** Not determined.

**NOTES TO PHYSICIAN** Aspiration into the lungs may occur during ingestion or vomiting, causing lung damage or even death due to chemical pneumonia.

## 5. FIRE-FIGHTING MEASURES

**SUITABLE EXTINGUISHING MEDIA** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**UNSUITABLE EXTINGUISHING MEDIA** None known

**SPECIFIC HAZARDS ARISING FROM CHEMICAL** Product is not flammable or combustible.

## PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/ NIOSH (approved and equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

**PERSONAL PRECAUTIONS** Use personal protective equipment as required.

**ENVIRONMENTAL PRECAUTIONS** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 12 for additional Ecological Information.

### METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

**CONTAMINATION** Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an inert (i.e. vermiculite, dry sand or earth) absorbent material.

**CLEAN-UP** Sweep up and shovel into suitable containers for disposal. For waste disposal, see section 13 of the SDS.

## 7. HANDLING AND STORAGE

### PRECAUTIONS FOR SAFE HANDLING

**PROTECTIVE MEASURES** Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash face, hands and any exposed skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

## CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES)

**STORAGE CONDITIONS** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

**INCOMPATIBLE MATERIALS** Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### EXPOSURE GUIDELINES

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol <b>67-63-0</b>	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m3 (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m3 (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m3	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m3 STEL: 500 ppm STEL: 1225 mg/m3
Caustic Soda 1 <b>310-73-2</b>	Ceiling: 2 mg/m3	TWA: 2 mg/m3 (vacated) Ceiling: 2 mg/m3	IDLH: 10 mg/m3 Ceiling: 2 mg/m3

**ENGINEERING CONTROLS** Apply technical measures to comply with the occupational exposure limits. Showers, Eyewash stations, Ventilation systems.

### INDIVIDUAL PROTECTION MEASURES

**EYE/FACE PROTECTION** Chemical safety glasses or goggles. Refer to 29 CFR 1910.133 for eye and face protection regulations.

**SKIN/BODY PROTECTION** Wear protective gloves and protective clothing. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

**RESPIRATORY PROTECTION** If necessary, wear a MSHA/NIOSH-approved respirator. Refer to 29 CFR 1910.134 for respiratory protection requirements.

**GENERAL HYGIENE** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>PHYSICAL STATE</b>	Liquid
<b>APPERANCE</b>	Not determined
<b>COLOR</b>	Not determined
<b>ODOR</b>	Not determined
<b>ODOR THRESHOLD</b>	Not determined
<b>pH</b>	9.5
<b>MELTING POINT/FREEZING POINT</b>	Not determined
<b>BOILING POINT/BOILING RANGE</b>	Not determined
<b>FLASH POINT</b>	Not determined
<b>EVAPORATION RATE</b>	Not determined
<b>FLAMMABILITY (SOLID, GAS)</b>	Not determined
<b>UPPER FLAMMABILITY LIMITS</b>	Not determined
<b>LOWER FLAMMABILITY LIMITS</b>	Not determined

<b>VAPOR PRESSURE</b>	Not determined
<b>SPECIFIC GRAVITY</b>	Not determined
<b>RELATIVE DENSITY</b>	Not determined
<b>WATER SOLUBILITY</b>	Not determined
<b>PARTITION COEFFICIENT</b>	Not determined
<b>N-OCTANOL/ WATER</b>	Not determined
<b>AUTO-IGNITION TEMPERATURE</b>	Not determined
<b>DECOMPOSITION TEMPERATURE</b>	Not determined
<b>VISCOSITY</b>	Not determined

## 10. STABILITY AND REACTIVITY

<b>REACTIVITY</b>	Not reactive under normal conditions
<b>CHEMICAL STABILITY</b>	Stable under recommended storage conditions
<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	None under normal processing
<b>CONDITIONS TO AVOID</b>	Keep out of reach of children
<b>INCOMPATIBLE MATERIALS</b>	Strong oxidizing agents.
<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

*Information on likely routes of exposure.*

<b>EYE CONTACT</b>	Avoid contact with eyes.
<b>SKIN CONTACT</b>	May cause temporary irritation on skin contact.
<b>INHALATION</b>	Do not inhale.
<b>INGESTION</b>	May be fatal if swallowed and enters airways.

### COMPONENT INFORMATION

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Isopropyl Alcohol <b>67-63-0</b>	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h
Caustic Soda <b>1310-73-2</b>	-	= 1350 mg/kg ( Rabbit )	-

**SYMPTOMS** Please see section 4 of this SDS for symptoms.

**CARCINOGENICITY** Isopropyl Alcohol (IPA) is listed as an IARC Monograph Group 3 chemical. However, IARC Group 3 chemicals are "not classifiable as human carcinogens". IPA is classified as an IARC Group 1 chemical ONLY when manufactured by the strong-acid process. The IPA used in this product is NOT manufactured by the strong-acid process and is therefore not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated light naphthenic <b>64742-53-6</b>	A2	Group 1	Known	x
Isopropyl Alcohol <b>67-63-0</b>		Group 3		x

## 12. ECOLOGICAL INFORMATION

**ECOTOXICITY** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

CHEMICAL NAME	ALGAE/ AQUATIC PLANTS	FISH	CRUSTACEA
Petroleum distillates, hydrotreated light naphthenic <b>64742-53-6</b>		5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Isopropyl Alcohol <b>67-63-0</b>	1000: 72 h Desmodesmus subspicatus mg/L EC50 1000: 96 h Desmodesmus subspicatus mg/L EC50	11130: 96 h Pimephales promelas mg/L LC50 static 9640: 96 h Pimephales promelas mg/L LC50 flow-through 1400000: 96 h Lepomis macrochirus µg/L LC50	13299: 48 h Daphnia magna mg/L EC50
Caustic Soda <b>1310-73-2</b>		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	

**PERSISTENCE AND DEGRADABILITY** Not determined

**BIOACCUMULATION** Not determined

**MOBILITY**

Chemical Name	Partition Coefficient
Isopropyl Alcohol <b>67-63-0</b>	0.05

**OTHER ADVERSE EFFECTS** Not determined

## 13. DISPOSAL CONSIDERATIONS

### WASTE TREATMENT METHODS

<b>WASTE DISPOSAL</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.
<b>CONTAMINATED PACKAGING</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.

### CHEMICAL NAME CALIFORNIA HAZARDOUS WASTE STATUS

Isopropyl Alcohol <b>67-63-0</b>	Toxic Ignitable
Caustic Soda <b>1310-73-2</b>	Toxic Corrosive

## 14. TRANSPORT INFORMATION

### DOT

Not regulated



# Safety Data Sheet

## IATA

Not regulated

## IMDG

Not regulated

## 15. REGULATORY INFORMATION

### INTERNATIONAL INVENTORIES

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Petroleum distillates, hydrotreated light naphthenic	X	X	X		X	Present	X	X	Petroleum distillates, hydrotreated light naphthenic	X
Isopropyl Alcohol	X	X	X	Present	X	Present	X	X	Isopropyl Alcohol	X
Caustic Soda	X	X	X	Present	X	Present	X	X	Caustic Soda	X
Rosin oil	X	X	X			Present	X		Rosin oil	X

### LEGEND

<b>TSCA</b>	United States Toxic Substances Control Act Section 8(B) Inventory
<b>DSL/NDSL</b>	Canadian Domestic Substances List/Non-Domestic Substances List
<b>EINECS/ELINCS</b>	European Inventory of Existing/Notified Chemical Substances
<b>ENCS</b>	Japan Existing and New Chemical Substances
<b>IECSC</b>	China Inventory of Existing Chemical Substances
<b>KECL</b>	Korean Existing and Evaluated Chemical Substances
<b>PICCS</b>	Philippines Inventory of Chemicals and Chemical Substances

## U.S. FEDERAL REGULATIONS

### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Caustic Soda 1310-73-2	1000 lb		RQ 1000 lb final RQ 454 kg final RQ



# Safety Data Sheet

## SARA 313/312 HAZARD CATEGORIES

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Isopropyl Alcohol	67-63-0	0.1-0.5	1.0

## CLEAN WATER ACT (CWA)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Caustic Soda	1000 lb			X

## U.S. STATE REGULATIONS

### California Proposition 65

This product does not contain any Proposition 65 chemicals.

## U.S. STATE RIGHT-TO-KNOW REGULATIONS

CHEMICAL NAME	NEW JERSEY	MASSACHUSETTS	PENNSYLVANIA
Petroleum distillates, hydrotreated light naphthenic 64742-53-6		X	
Water 7732-18-5			
Isopropyl Alcohol 67-63-0	X	X	X
Caustic Soda 1310-73-2	X	X	X

## 16. OTHER INFORMATION

NFPA	HEALTH HAZARDS	FLAMMABILITY	INSTABILITY	SPECIAL HAZARDS
	Not determined	Not determined	Not determined	Not determined
HMIS	HEALTH HAZARDS	FLAMMABILITY	PHYSICAL HAZARDS	PERSONAL PROTECTION
	Not determined	Not determined	Not determined	Not determined

## DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**END OF SAFETY DATA SHEET**