

ISSUE DATE: September 2013

REVISION DATE: January 2022

VERSION: 1

1. IDENTIFICATION

PRODUCT IDENTIFIER

PRODUCT NAME EMULSO MULTI-SURFACE CLEANER S77

OTHER MEANS OF IDENTIFICATION

SDS Number E-002
Product Code A-42
UN/ID No UN1760

Recommended Uses Cleaner/degreaser

SDS-SUPPLIER INFORMATION

SUPPLIER ADDRESS E-ZOIL Products, Inc.
DBA Emulso
2750 Kenmore Avenue
Tonawanda, NY 14150

EMERGENCY TELEPHONE NUMBER

COMPANY PHONE NUMBER (716) 854-2889
COMPANY FAX NUMBER (716) 854-2809
24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686)
NORTH AMERICA 800-535-5053
INTERNATIONAL 352-323-3500

2. HAZARDS IDENTIFICATION

CLASSIFICATION

Acute toxicity - Oral Category 4
Skin corrosion/irritation Category 1 Sub-category C
Serious eye damage/eye irritation Category 1

SIGNAL WORD Danger

HAZARD STATEMENTS



HAZARD STATEMENTS 1. Harmful if swallowed
2. Causes severe skin burns and eye damage

APPEARANCE Clear Liquid **PHYSICAL STATE** Liquid

PRECAUTIONARY STATEMENTS

PREVENTION	Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection
RESPONSE	Immediately call poison center or doctor/ physician.
IF SWALLOWED	Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth. Do NOT induce vomiting
IF IN EYES	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician
IF ON SKIN/HAIR	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse
IF INHALED	Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician
IF EXPOSED/CONCERNED	Get medical advice/ attention.
STORAGE	Store locked-up. Keep away from children.
DISPOSAL	Dispose of contents/container to an approved waste disposal plant
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)	N/A
OTHER INFORMATION	N/A

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	WEIGHT - %
Water	7732-18-5	to 100%
Potassium hydroxide	1310-58-3	0-10
Non-ionic Surfactant	Proprietary	0-10
Sodium metasilicate	6834-92-0	0-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	Provide this SDS to medical personnel for treatment.
EYE CONTACT	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a physician immediately.



Safety Data Sheet

SKIN CONTACT	Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. Get medical attention. Destroy contaminated shoes.
INHALATION	Rinse mouth. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Call a POISON CENTER or doctor/physician if you feel unwell.
INGESTION	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink 1-2 glasses of water. Immediate medical attention is required.

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

POTENTIAL ACUTE HEALTH EFFECTS

Most important symptoms and effects, both acute and delayed

SYMPTOMS	Exposed individuals may experience eye tearing, redness and discomfort. Contact will cause irritation and redness to exposed areas. May cause irritation to the mucous membranes and upper respiratory tract. May cause burns to mouth, esophagus and stomach. Swallowing large quantities may cause gastrointestinal tract irritation, nausea, vomiting, and diarrhea.
-----------------	---

NOTES TO PHYSICIAN Treat symptomatically

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

UNSUITABLE EXTINGUISHING MEDIA None known

SPECIFIC HAZARDS ARISING FROM CHEMICAL Produces alkaline vapors in a fire.

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/ NIOSH (approved and equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

PERSONAL PRECAUTIONS Use personal protective equipment as required. Spills may be slippery.

ENVIRONMENTAL PRECAUTIONS Prior permitting may be required before any detergent chemicals can be put into city sewers.

METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

CONTAMINATION CLEAN-UP Prevent further leakage or spillage is safe to do so
Sweep up and reclaim for use or flush to sewer.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

PROTECTIVE MEASURES Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Do not breathe dust/fume/gas/mist/vapor/spray. Do not eat, drink, or smoke when using this product. Use personal protection recommended in Section 8.

CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES)

STORAGE CONDITIONS Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Protect from freezing. Do not store at temperatures above 120°F. Do not mix with other chemicals.

INCOMPATIBLE MATERIALS strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
Sodium metasilicate 6834-92-0	2 mg/m ³	2 mg/m ³	-

ENGINEERING CONTROLS Apply technical measures to comply with the occupational exposure limits.

INDIVIDUAL PROTECTION MEASURES

EYE/FACE PROTECTION Wear approved safety goggles.
SKIN/BODY PROTECTION Wear rubber or neoprene gloves.
RESPIRATORY PROTECTION Ensure adequate ventilation, especially in confined areas.
GENERAL HYGIENE Handle in accordance with good industrial hygiene and safety practice

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Liquid
APPEARANCE	Clear Liquid
COLOR	Clear
ODOR	Not determined
ODOR THRESHOLD	Not determined
pH	12.5-13.5
MELTING POINT/FREEZING POINT	Not determined
BOILING POINT/BOILING RANGE	> 100 °C / >212 °F
FLASH POINT	Non-flammable
EVAPORATION RATE	Not determined
FLAMMABILITY (SOLID, GAS)	n/a-liquid
UPPER FLAMMABILITY LIMITS	Not determined

LOWER FLAMMABILITY LIMITS	Not determined
VAPOR PRESSURE	Not determined
SPECIFIC GRAVITY	1.3
RELATIVE DENSITY	Not determined
WATER SOLUBILITY	Completely soluble
PARTITION COEFFICIENT	Not determined
N-OCTANOL/ WATER	Not determined
AUTO-IGNITION TEMPERATURE	Not determined
DECOMPOSITION TEMPERATURE	Not determined
VISCOSITY	Not determined

10. STABILITY AND REACTIVITY

REACTIVITY	Not reactive under normal conditions
CHEMICAL STABILITY	Stable under recommended storage conditions
POSSIBILITY OF HAZARDOUS REACTIONS	None under normal processing
CONDITIONS TO AVOID	Keep out of reach of children
INCOMPATIBLE MATERIALS	Strong acids.
HAZARDOUS DECOMPOSITION PRODUCTS	Produces alkaline vapors in a fire.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure.

EYE CONTACT	Causes severe eye damage.
SKIN CONTACT	Causes severe skin burns.
INHALATION	Avoid breathing vapors or mists.
INGESTION	May be harmful if swallowed.

COMPONENT INFORMATION

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Potassium hydroxide 1310-58-3	= 214 mg/kg (Rat)	-	-
Non-ionic Surfactant	= 1310 mg/kg (Rat)	= 2 mL/kg (Rabbit)	-
Sodium metasilicate 6834-92-0	= 600 mg/kg (Rat)	-	-

SYMPTOMS Please see section 4 of this SDS for symptoms.

CARCINOGENICITY This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

NUMERICAL MEASURES OF TOXICITY-PRODUCT Not determined.

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 1281 mg/kg
ATEmix (dermal) 27049 mg/kg

12. ECOLOGICAL INFORMATION

ECOTOXICITY An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

CHEMICAL NAME	ALGAE/ AQUATIC PLANTS	FISH	TOXIC TO	
			MICROORGANISMS	CRUSTACEA
Potassium hydroxide 1310-58-3		80: 96 h <i>Gambusia affinis</i> mg/L LC50 static		
Sodium metasilicate 6834-92-0		210: 96 h <i>Brachydanio rerio</i> mg/L LC50 semi-static 210: 96 h <i>Brachydanio rerio</i> mg/L LC50		216: 96 h <i>Daphnia magna</i> mg/L EC50

PERSISTENCE AND DEGRADABILITY Not determined
BIOACCUMULATION Not determined
MOBILITY Not determined

CHEMICAL NAME	PARTITION COEFFICIENT
Potassium hydroxide 1310-58-3	0.65 0.83

OTHER ADVERSE EFFECTS Not determined

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS



Safety Data Sheet

WASTE DISPOSAL Disposal should be in accordance with applicable regional, national and local laws and regulations.
CONTAMINATED PACKAGING Disposal should be in accordance with applicable regional, national and local laws and regulations.

CHEMICAL NAME	CALIFORNIA HAZARDOUS WASTE STATUS
Potassium hydroxide	Toxic
1310-58-3	Corrosive

14. TRANSPORT INFORMATION

DOT

UN/ID No	UN1760
Proper shipping name	Corrosive liquids, n.o.s. (Potassium hydroxide, Sodium metasilicate)
Hazard Class	8
Packing Group	III
Reportable Quantity (RQ)	potassium hydroxide 1000 lbs

IATA

UN/ID No	UN1760
Proper shipping name	Corrosive liquids, n.o.s. (Potassium hydroxide, Sodium metasilicate)
Hazard Class	8
Packing Group	III
Reportable Quantity (RQ)	potassium hydroxide 1000 lbs

IMDG

UN/ID No	UN1760
Proper shipping name	Corrosive liquids, n.o.s. (Potassium hydroxide, Sodium metasilicate)
Hazard Class	8
Packing Group	III
Reportable Quantity (RQ)	potassium hydroxide 1000 lbs



15. REGULATORY INFORMATION

INTERNATIONAL INVENTORIES

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Tetrasodium EDTA	Present	X		Present		Present	X	Present	X	X
Nonylphenol Ethoxylate	Present	X				Present	X	Present	X	X
Sodium hydroxide	Present	X		Present		Present	X	Present	X	X
Isopropanol	Present	X		Present		Present	X	Present	X	X
Trisodium Nitrilotriacetate	Present	X		Present		Present	X	Present	X	X

LEGEND

TSCA United States Toxic Substances Control Act Section 8(B) Inventory

DSL/NDSL Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS European Inventory of Existing/Notified Chemical Substances

ENCS Japan Existing and New Chemical Substances

IECSC China Inventory of Existing Chemical Substances

KECL Korean Existing and Evaluated Chemical Substances

PICCS Philippines Inventory of Chemicals and Chemical Substances

U.S. FEDERAL REGULATIONS

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

CLEAN WATER ACT (CWA)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-58-3	1000 lb			X

U.S. STATE REGULATIONS

U.S. STATE RIGHT-TO-KNOW REGULATIONS

CHEMICAL NAME	NEW JERSEY	MASSACHUSETTS	PENNSYLVANIA
Potassium hydroxide 1310-58-3	X	X	X

16. OTHER INFORMATION

NFPA	HEALTH HAZARDS	FLAMMABILITY	INSTABILITY	SPECIAL HAZARDS
	Not determined	Not determined	Not determined	Not determined
HMIS	HEALTH HAZARDS	FLAMMABILITY	PHYSICAL HAZARDS	PERSONAL PROTECTION
	Not determined	Not determined	Not determined	Not determined

DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

END OF SAFETY DATA SHEET