

ISSUE DATE: September 2013 **REVISION DATE:** January 2022 **VERSION:** 1

1. IDENTIFICATION

PRODUCT IDENTIFIER PRODUCT NAME SOLVALL

OTHER MEANS OF IDENTIFICATION

SDS Number E-003RP

Recommended Uses Tar and asphalt remover.

Restrictions on Use

SDS-SUPPLIER INFORMATION

E-ZOIL Products, Inc.

DBA Emulso SUPPLIER ADDRESS

2750 Kenmore Avenue Tonawanda, NY 14150

EMERGENCY TELEPHONE NUMBER

COMPANY PHONE NUMBER (716) 854-2889 COMPANY FAX NUMBER (716) 854-2809

24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686)

NORTH AMERICA 800-535-5053 INTERNATIONAL 352-323-3500

2. HAZARDS IDENTIFICATION

CLASSIFICATION

Acute toxicity - Dermal Category 4

Acute toxicity - Inhalation (Dusts/Mists) Category 4

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2

> Germ cell mutagenicity Category 1B

Carcinogenicity Category 1B

Specific target organ toxicity (single exposure) Category 3

> Aspiration toxicity Category 1

Flammable Liquids Category 3

SIGNAL WORD: Danger

HAZARD STATEMENTS





1. Harmful in contact with skin

2. Harmful if inhaled

3. Causes skin irritation

4. Causes serious eye irritation5. May cause genetic defects

HAZARD STATEMENTS

May cause genetic delect
 May cause cancer

7. May cause respiratory irritation

8. May be fatal if swallowed and enters airways

9. Flammable liquid and vapor

APPEARANCE: Liquid PHYSICAL STATE: Liquid

PRECAUTIONARY STATEMENTS

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

PREVENTION Wear eye/face protection

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof equipment Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

RESPONSE If exposed or concerned: Get medical advice/attention

IF SWALLOWED Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Rinse cautiously with water for several minutes. Remove contact lenses, if

IF IN EYES present and easy to do. Continue rinsing If eye irritation persists: Get

medical advice/attention

Remove/Take off immediately all contaminated clothing. Rinse skin with

IF ON SKIN/HAIR water/shower Wash contaminated clothing before reuse.

If skin irritation occurs: Get medical advice/attention



IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing

IF EXPOSED/CONCERNED Get medical advice/ attention.

> Store locked-up. Keep away from children. Store in a well-ventilated place. STORAGE

Keep container tightly closed

DISPOSAL Dispose of contents/container to an approved waste disposal plant.

HAZARDS NOT OTHERWISE

N/A **CLASSIFIED (HNOC)**

OTHER INFORMATION In case of fire: Use CO2, dry chemical, or foam for extinction

UNKNOWN ACUTE TOXICITY Acute Toxicity classifications / calculations are approximates

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	WEIGHT - %
Proprietary distillates	Proprietary	Proprietary
Proprietary hydrocarbon	Proprietary	Proprietary
Proprietary hydrocarbon	Proprietary	Proprietary
Proprietary glycol	Proprietary	Proprietary
Proprietary hydrocarbon	Proprietary	Proprietary
Proprietary hydrocarbon	Proprietary	Proprietary

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE Provide this SDS to medical personnel for treatment.

Immediately flush with plenty of water. After initial flushing, remove any contact **EYE CONTACT** lenses and continue flushing for at least 15 minutes. If eye irritation persists: Get

medical advice/attention.

Wash off immediately with plenty of water. Take off contaminated clothing. Wash

SKIN CONTACT contaminated clothing before reuse. Call a poison center or doctor/physician if

you feel unwell or if skin irritation persists.

Remove exposed individual(s) to fresh air for 20 minutes. Consult a **INHALATION**

physician/poison center if individual's condition declines or if symptoms persist.

Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to **INGESTION**

reduce risk of aspiration. Call a physician or poison control center immediately.



POTENTIAL ACUTE HEALTH EFFECTS

Most important symptoms and effects, both acute and delayed

SYMPTOMS

Causes skin and eye irritation. Harmful if inhaled. Harmful in contact with skin. May be harmful if swallowed. Exposed individuals may experience eye tearing, redness and discomfort. Aspiration hazard: if swallowed can enter lungs and cause damage. May cause respiratory irritation.

NOTES TO PHYSICIAN

Aspiration into the lungs may occur during ingestion or vomiting, causing lung damage or even death due to chemical pneumonia.

5. FIRE-FIGHTING MEASURES

Use extinguishing measures that are appropriate to local SUITABLE EXTINGUISHING MEDIA

circumstances and the surrounding environment. Alcohol

resistant foam.

Water with a full water jet. UNSUITABLE EXTINGUISHING MEDIA

SPECIFIC HAZARDS ARISING FROM CHEMICAL Flammable liquid and vapor.

> HAZARDOUS COMBUSTION PRODUCTS Carbon oxides.

Take precautionary measures against static SENSITIVITY TO STATC DISCHARGE

discharge.

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

PERSONAL PRECAUTIONS Use personal protective equipment as required. ENVIRONMENTAL PRECAUTIONS See Section 12 for additional Ecological Information.

METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

CONTAMINATION Prevent further leakage or spillage is safe to do so

Use explosion proof equipment. Sweep up and shovel into suitable

containers for disposal. **CLEAN-UP**

For waste disposal, see section 13 of the SDS.



7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

PROTECTIVE MEASURES

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protection recommended in Section 8. Use only in well- ventilated areas. Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use non-sparking hand tools and explosion-proof electrical equipment. All equipment used when handling the product must be grounded. Take precautionary measures against static discharges.

CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES)

STORAGE CONDITIONS

Keep containers tightly closed in a dry, cool and well-ventilated place. Store

locked up.

INCOMPATIBLE MATERIALS Strong

Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES **Chemical Name OSHA PEL NIOSH IDLH ACGIH TLV** Proprietary hydrocarbon TWA: 25 ppm TWA: 125 mg/m3 Proprietary hydrocarbon TWA: 25 ppm TWA: 125 mg/m3 Proprietary glycol TWA: 20 ppm TWA: 50 ppm IDLH: 700 ppm TWA: 240 mg/m3 TWA: 5 ppm TWA: 24 mg/m3 (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m3 (vacated) S* S* Proprietary hydrocarbon TWA: 25 ppm TWA: 125 mg/m3 Proprietary hydrocarbon TWA: 50 ppm TWA: 50 ppm IDLH: 900 ppm TWA: 245 mg/m3 TWA: 50 ppm (vacated) TWA: 50 ppm TWA: 245 mg/m3 (vacated) TWA: 245 mg/m3 (vacated) S* Proprietary Glycol STEL: 50 ppm vapor fraction STEL: 10 mg/m3 (vacated) Ceiling: 50 ppm inhalable (vacated) Ceiling: 125 particulate matter, mg/m3 aerosol only TWA: 25 ppm vapor fraction



ENGINEERING CONTROLS: Apply technical measures to comply with the occupational exposure limits.

Maintain eye wash fountain and quick-drench facilities in work area.

INDIVIDUAL PROTECTION MEASURES

EYE/FACE PROTECTION Refer to 29 CFR 1910.133 for eye and face protection regulations. **SKIN/BODY PROTECTION** Refer to 29 CFR 1910.138 for appropriate skin and body protection.

RESPIRATORY PROTECTION A NIOSH/MSHA approved respirator as necessary. Refer to 29 CFR

1910.134 for

respiratory protection requirements.

GENERAL HYGIENE Avoid contact with skin, eyes and clothing. After handling this product, wash

hands before eating, drinking, or smoking. If contact occurs, remove

contaminated clothing. If needed, take first aid action shown on section 4 of

this SDS. Launder contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Liquid

APPERANCE Not determined

COLOR Not determined

ODOR Not determined

ODOR THRESHOLD Not determined

pH Not determined

MELTING POINT/FREEZING POINT Not determined

BOILING POINT/BOILING RANGE Not determined

FLASH POINT 43 °C / 109.4 °F

EVAPORATION RATE Not determined

FLAMMABILITY (SOLID, GAS) n/a-liquid

UPPER FLAMMABILITY LIMITS Not determined

LOWER FLAMMABILITY LIMITS Not determined

VAPOR PRESSURE Not determined

SPECIFIC GRAVITY Not determined

RELATIVE DENSITY Not determined

WATER SOLUBILITY Insoluble in water

PARTITION COEFFICIENT Not determined

N-OCTANOL/ WATER Not determined

AUTO-IGNITION TEMPERATURE Not determined

DECOMPOSITION TEMPERATURE Not determined

VISCOSITY Not determined

10. STABILITY AND REACTIVITY

REACTIVITY Not reactive under normal conditions

CHEMICAL STABILITY Stable under recommended storage conditions

POSSIBILITY OF HAZARDOUS REACTIONS None under normal processing

CONDITIONS TO AVOID Keep out of reach of children. Heat, flames and

sparks.

INCOMPATIBLE MATERIALS Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS Carbon oxides.



11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure.

EYE CONTACT Causes serious eye irritation.

SKIN CONTACT Causes skin irritation. Harmful in contact with skin.

INHALATION Harmful if inhaled.

INGESTION May be harmful if swallowed. May be fatal if

swallowed and enters airways.

COMPONENT INFORMATION

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Proprietary distillates	= 8400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 3400 ppm (Rat) 4 h
Proprietary hydrocarbon	= 3280 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	= 18 g/m3 (Rat) 4 h
Proprietary hydrocarbon	= 5000 mg/kg (Rat)	-	= 24 g/m3 (Rat) 4 h
Proprietary glycol	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 486 ppm (Rat) 4 h = 450 ppm (Rat) 4 h
Proprietary hydrocarbon	= 1400 mg/kg (Rat)	= 12300 μL/kg (Rabbit)	= 39000 mg/m3 (Rat) 4 h > 3577 ppm (Rat) 6 h
Proprietary Glycol	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat) = 9530 µL/kg (Rabbit)	= 3400 ppm (Rat) 4 h

SYMPTOMS Please see section 4 of this SDS for symptoms.

INFORMATION AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE

GERM CELL MUTAGENICITY May cause genetic defects.



CARCINOGENICITY May cause cancer.

Chemical Name	ACGIH	IA	RC	NTP	OSHA
Proprietary glycol	A3	Gro	up 3		
Proprietary hydrocarbon		Grou	ıp 2B	Reasonably Anticipated	X
		LEGEND	l		
		ACGIH	Americar Hygienis	n Conference of Governmental ts)	Industrial
		A3	Animal C	arcinogen	
		IARC (International Agency for Research on Cancer)			Cancer)
		Group 2B	B Possibly Carcinogenic to Humans		
		Group 3	IARC components are "not classifiable as human carcinogens"		
		NTP	(National	Toxicology Program)	
	Reasonably A	Anticipated	(Occupational Safety and Health Administration of t		
		OSHA			
		X	Present		
	STOT – SINGLE ASPIRATIO	EXPOSURE ON HAZARD	•	se respiratory irritation. atal if swallowed and enters air	ways.

NUMERICAL MEASURES OF TOXICITY-PRODUCT

The following values are calculated based on chapter 3.1 of the GHS document .

UNKNOWN ACUTE TOXICITY

Acute Toxicity classifications / calculations are approximates.

12. ECOLOGICAL INFORMATION					
CHEMICAL	ECOT ALGAE/ AQUATIC	OXICITY Harmful to aquatic life	with long lasting effects.		
NAME	PLANTS	FISH	CRUSTACEA		
Proprietary distillates	-	9.22: 96 h Oncorhynchus mykiss mg/L LC50	6.14: 48 h Daphnia magna mg/L EC50		
Proprietary hydrocarbon	-	7.19 - 8.28: 96 h Pimephales promelas mg/L LC50 flow- through	6.14: 48 h Daphnia magna mg/L EC50		
Proprietary hydrocarbon	-	3.48: 96 h Pimephales promelas mg/L LC50	50: 24 h Daphnia magna mg/L EC50		
Proprietary glycol		1490: 96 h Lepomis macrochirus	1698 - 1940: 24 h Daphnia magna		
	-	mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	mg/L EC50 1000: 48 h Daphnia magna mg/L EC50		



Proprietary Glycol

Safety Data Sheet

0.6: 48 h Daphnia magna

mg/L

EC50 7.9 - 14.1: 48 h

Daphnia magna mg/L EC50

Static

5.1: 96 h Poecilia reticulata Proprietary hydrocarbon ma/L

Pseudokirchneriella subcapitata mg/L

6500 - 13000: 96 h Pseudokirchneriella

subcapitata mg/L

EC50

2.6: 72 h

EC50

LC50 semi-static 4.8: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 2.7: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 6.04 - 6.61:

96 h Pimephales promelas mg/L LC50

flow-through 27540: 96 h Lepomis macrochirus

mg/L LC50 static 40000 -60000: 96 h Pimephales promelas mg/L LC50 static 41000: 96 h Oncorhynchus

mvkiss ma/L LC50 40761: 96 h Oncorhynchus mykiss mg/L LC50 static 14 - 18: 96 h Oncorhynchus mykiss mL/L LC50 static

16000:96 h Poecilia reticulata mg/L LC50 static

46300: 48 h Daphnia magna mg/L EC50

PERSISTENCE AND DEGRADABILITY **BIOACCUMULATION**

MOBILITY

Chemical Name Partition Coefficient

Not determined

Not determined

Proprietary hydrocarbon 3.63

Proprietary glycol 0.81 Proprietary hydrocarbon 3.7

Proprietary Glycol -1.93

OTHER ADVERSE EFFECTS Not determined

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

WASTE DISPOSAL

Disposal should be in accordance with applicable regional, national and local laws and regulations.

CONTAMINATED PACKAGING

Disposal should be in accordance with applicable regional.

national and local laws and regulations.

US EPA WASTE NUMBER

Chemical Name RCRA RCRA - Basis for **RCRA - D Series Wastes RCRA - U Series Wastes**

Listing

Proprietary hydrocarbon U055



CALIFORNIA HAZARDOUS WASTE STATUS

Chemical Name California Hazardous Waste Status

Proprietary hydrocarbon Toxic Ignitable

NSPORT INFORMATION

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

Not regulated In non-bulk packages, this product is not regulated for ground transportation in accordance with 49 CFR 173.150(f).

IATA

UN/ID No UN1993

Proper Shipping Name Flammable liquid, n.o.s. (Petroleum distillates, Ethylene

glycol monobutyl ether)

Hazard Class 3
Packing Group III

IMDG

UN/ID No UN1993

Proper Shipping Name Flammable liquid, n.o.s. (Petroleum distillates, Ethylene

glycol monobutyl ether)

Hazard Class 3 Packing Group III



15. REGUI	_ATORY II	NFORMATION
-----------	-----------	------------

INTERNATIONAL INVENTORIES										
Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Proprietary distillates	Χ	Χ	Х		Х	Present	Х	Χ	Proprietary distillates	Х
Proprietary hydrocarbon	Χ	Χ	X	Present	Χ	Present	Χ	Χ	Proprietary hydrocarbon	Χ
Proprietary hydrocarbon	Χ	Χ	Χ	Present	Χ	Present	Х	Χ	Proprietary hydrocarbon	Χ
Proprietary glycol	Χ	Χ	Χ	Present	Х	Present	Χ	Χ	Proprietary glycol	Х
Proprietary hydrocarbon	Χ	Χ	Χ	Present	Χ	Present	Х	Χ	Proprietary hydrocarbon	Х
Proprietary hydrocarbon	Χ	Χ	Χ	Present	Χ	Present	Х	Χ	Proprietary hydrocarbon	Χ
Proprietary Glycol	Х	X	Х	Present	Х	Present	Χ	Χ	Proprietary Glycol	Х

LEGEND

TSCA United States Toxic Substances Control Act Section 8(B) Inventory
DSL/NDSL Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS European Inventory of Existing/Notified Chemical Substances

ENCS Japan Existing and New Chemical Substances
IECSC China Inventory of Existing Chemical Substances
KECL Korean Existing and Evaluated Chemical Substances

PICCS Philippines Inventory of Chemicals and Chemical Substances

AICS Australian Inventory of Chemical Substances

U.S. FEDERAL REGULATIONS

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Proprietary hydrocarbon	5000 lb		RQ 5000 lb final RQ
			RQ 2270 kg final RQ
Proprietary Glycol	5000 lb		RQ 5000 lb final RQ
			RQ 2270 kg final RQ



SARA 311/31	2 HAZARD CATEGORIES
Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Proprietary hydrocarbon -		Proprietary	1.0
Proprietary glycol -		Proprietary	1.0
Proprietary hydrocarbon -		Proprietary	1.0
Proprietary Glycol -		Proprietary	1.0

CLEAN WATER ACT (CWA)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

U.S. STATE REGULATIONS

CALIFORIA PROPOSITION 65 This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 6
and a tarm a law along a gale and	0

Proprietary hydrocarbon Carcinogen
Proprietary Glycol Developmental

U.S. STATE RIGHT-TO-KNOW REGULATIONS

CHEMICAL NAME	NEW JERSEY	MASSACHUSETTS	PENNSYLVANIA
Proprietary hydrocarbon	X	X	X
Proprietary hydrocarbon		X	
Proprietary glycol	X	X	X
Proprietary hydrocarbon	X	X	X
Proprietary Glycol	X	X	X

16. OTHER INFORMATION HEALTH HAZARDS FLAMMABILITY INSTABILITY SPECIAL HAZARDS NFPA Not determined Not determined Not determined Not determined **HEALTH HAZARDS FLAMMABILITY** PHYSICAL HAZARDS PERSONAL PROTECTION **HMIS** Not determined Not determined Not determined Not determined



DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

END OF SAFETY DATA SHEET