

ISSUE DATE: September 2013 REVISION DATE: January 2022 VERSION: 1

## 1. IDENTIFICATION

#### PRODUCT IDENTIFIER

PRODUCT NAME GREASE GOBBLER XTREME

#### OTHER MEANS OF IDENTIFICATION

**SDS #** E-007 **UN/ID No** UN1760 **Product Code** A26XT

Recommended Uses Cleaner/ Degreaser.

#### SDS-SUPPLIER INFORMATION

E-ZOIL Products, Inc.

SUPPLIER ADDRESS DBA Emulso

2750 Kenmore Avenue Tonawanda, NY 14150

#### **EMERGENCY TELEPHONE NUMBER**

**COMPANY PHONE NUMBER** (716) 854-2889 **COMPANY FAX NUMBER** (716) 854-2809

24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686)

NORTH AMERICA 1-800-633-8253 INTERNATIONAL PERS 1-801-629-0667

## 2. HAZARDS IDENTIFICATION

### **CLASSIFICATION**

Acute toxicity - Oral Category 4
Skin corrosion/irritation Category 1 Sub-category C
Serious eye damage/eye irritation Category 1

SIGNAL WORD Danger

#### **HAZARD STATEMENTS**





**HAZARD STATEMENTS** 

1. Harmful if swallowed

2. Causes severe skin burns and eye damage

APPEARANCE Clear Liquid PHYSICAL STATE Liquid



PRECAUTIONARY STATEMENTS

Wash face, hands and any exposed skin thoroughly after handling **PREVENTION** 

Wear protective gloves/protective clothing/eye protection/face protection

Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray

**RESPONSE** Immediately call poison center or doctor/ physician.

Call POISON CENTER or doctor/physician if you feel unwell. Rinse IF SWALLOWED

mouth. Do NOT induce vomiting.

Rinse cautiously with water for several minutes. Remove contact lenses, if

IF IN EYES present and easy to do. Continue rinsing Immediately call a poison center

or doctor/physician

Remove/Take off immediately all contaminated clothing. Rinse skin with IF ON SKIN/HAIR

water/shower Wash contaminated clothing before reuse

IF INHALED Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

IF EXPOSED/CONCERNED Get medical advice/ attention.

**STORAGE** Store locked-up. Keep away from children.

Dispose of contents/container to an approved waste disposal plant. DISPOSAL

HAZARDS NOT OTHERWISE **CLASSIFIED (HNOC)** 

N/A

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	WEIGHT - %
Water	7732-18-5	to 100%
Potassium hydroxide	1310-58-3	10-20
Non-ionic Surfactant	Proprietary	0-10
Tetrapotassium pyrophosphate	7320-34-5	0-5
Sodium metasilicate	6834-92-0	0-5

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

#### **DESCRIPTION OF FIRST AID MEASURES**

**GENERAL ADVICE** Provide this SDS to medical personnel for treatment.

Immediately flush with plenty of water, After initial flushing, remove any contact **EYE CONTACT** lenses and continue flushing for at least 15 minutes. Call a physician immediately.



Wash off immediately with plenty of water for at least 15 minutes. Remove

SKIN CONTACT contaminated clothing and shoes. Wash contaminated clothing before reuse. Get

medical attention. Destroy contaminated shoes.

**INHALATION** Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a physician immediately.

Rinse mouth. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Call a

POISON CENTER or doctor/physician if you feel unwell.

### POTENTIAL ACUTE HEALTH EFFECTS

Most important symptoms and effects, both acute and delayed

Exposed individuals may experience eye tearing, redness and discomfort.

Contact will cause irritation and redness to exposed areas. May cause irritation to

**SYMPTOMS** the mucous membranes and upper respiratory tract. May cause burns to mouth,

esophagus and stomach. Swallowing large quantities may cause gastrointestinal

tract irritation, nausea, vomiting, and diarrhea.

**NOTES TO PHYSICIAN** Treat symptomatically

## 5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

UNSUITABLE EXTINGUISHING MEDIA None known

SPECIFIC HAZARDS ARISING FROM CHEMICAL Not determined

**HAZARDOUS COMBUSTION PRODUCTS** Produces alkaline vapors in a fire.

### PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/ NIOSH (approved and equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

PERSONAL PRECAUTIONS Use personal protective equipment as required. Spills may be slippery.

ENVIRONMENTAL PRECAUTIONS

Prior permitting may be required before any detergent chemicals can

be put into city sewers.

## METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

**CONTAMINATION** Prevent further leakage or spillage is safe to do so

**CLEAN-UP** Sweep up and reclaim for use or flush to sewer.



## 7. HANDLING AND STORAGE

### PRECAUTIONS FOR SAFE HANDLING

**PROTECTIVE MEASURES** 

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Do not breathe dust/fume/gas/mist/vapor/spray. Do not eat, drink, or smoke when using this product. Use personal protection recommended in Section 8.

### CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES)

Keep containers tightly closed in a dry, cool and well-ventilated place. Store

**STORAGE CONDITIONS** locked up. Protect from freezing. Do not store at temperatures above 120°F.

Do not mix with other chemicals.

**INCOMPATIBLE MATERIALS** Strong acids.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **EXPOSURE GUIDELINES**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-	Ceiling: 2 mg/m3	(vacated) Ceiling: 2	Ceiling: 2 mg/m3
3		mg/m3	
Sodium metasilicate <b>6834-92-0</b>	2 mg/m3	2 mg/m3	-

**ENGINEERING CONTROLS** Apply technical measures to comply with the occupational exposure limits.

#### INDIVIDUAL PROTECTION MEASURES

**EYE/FACE PROTECTION** Wear approved safety goggles. **SKIN/BODY PROTECTION** Wear rubber or neoprene gloves.

**RESPIRATORY PROTECTION** Ensure adequate ventilation, especially in confined areas.

**GENERAL HYGIENE** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Liquid

APPERANCE Clear Liquid

**COLOR** Purple

ODOR Not determined
ODOR THRESHOLD Not determined

**pH** 12.5-13.5

MELTING POINT/FREEZING POINT Not determined BOILING POINT/BOILING RANGE > 100 °C / >212 °F

FLASH POINT Not determined

**EVAPORATION RATE** Not determined FLAMMABILITY (SOLID, GAS) n/a-liquid

UPPER FLAMMABILITY LIMITS Not determined



LOWER FLAMMABILITY LIMITS Not determined VAPOR PRESSURE Not determined

SPECIFIC GRAVITY 1.3

**RELATIVE DENSITY** Not determined WATER SOLUBILITY Completely soluble

PARTITION COEFFICIENT Not determined

N-OCTANOL/ WATER Not determined

**AUTO-IGNITION TEMPERATURE** Not determined **DECOMPOSITION TEMPERATURE** Not determined

**VISCOSITY** Not determined

## **10. STABILITY AND REACTIVITY**

**REACTIVITY** Not reactive under normal conditions

**CHEMICAL STABILITY** Stable under recommended storage conditions

POSSIBILITY OF HAZARDOUS REACTIONS

CONDITIONS TO AVOID

None under normal processing

Keep out of reach of children

**INCOMPATIBLE MATERIALS** strong acids.

**HAZARDOUS DECOMPOSITION PRODUCTS** Produces alkaline vapors in a fire.



## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure.

SKIN CONTACT Causes severe eye damage.
Causes severe skin burns.
Avoid breathing vapors or mists.

**INGESTION** Harmful if swallowed.

#### **COMPONENT INFORMATION**

CHEMICAL NAME	ORAL LD50	DERMAL LD50	<b>INHALATION LC50</b>
Potassium hydroxide	214 mg/kg ( Rat )	-	-
1310-58-3			
Non-ionic Surfactant	= 1310 mg/kg ( Rat )	= 2 mL/kg(Rabbit)	-
Sodium metasilicate	600 mg/kg ( Rat )	-	-
6834-92-0			
Tetrapotassium pyrophosphate	-	> 4640 mg/kg ( Rabbit )	-
7320-34-5			

**SYMPTOMS** Please see section 4 of this SDS for symptoms.

**CARCINOGENICITY** Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

NUMERICAL MEASURES OF TOXICITY-PRODUCT Not determined.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1281 mg/kg ATEmix (dermal) 27049 mg/kg

12. ECOLOGICAL INFORMATION					
		<b>ECOTOXICITY</b> Harmful to aquatic life with long lasting effects.			
CHEMICAL NAME	ALGAE/ AQUATIC PLANTS	FISH	TOXIC TO MICROORGANISMS	CRUSTACEA	
Potassium hydroxide	_	80: 96 h Gambusia affinis		_	
1310-58-3		mg/L LC50 static			
		210: 96 h Brachydanio rerio		216: 96 h	
Sodium metasilicate		mg/L LC50 210: 96 h		Daphnia	
6834-92-0		Brachydanio rerio mg/L LC50 semi-static		magna mg/L EC50	
Tetrapotassium pyrophosphate <b>7320-34-5</b>		100: 96 h Oncorhynchus mykiss mg/L LC50		100: 48 h water flea mg/L EC50	

PERSISTENCE AND DEGRADABILITY Not determined
BIOACCUMULATION Not determined



**MOBILITY** Not determined

**Chemical Name Partition Coefficient** 

Potassium Hydroxide

0.83

1310-58-3

OTHER ADVERSE EFFECTS Not determined

## 13. DISPOSAL CONSIDERATIONS

**WASTE TREATMENT METHODS** 

**WASTE DISPOSAL** Disposal should be in accordance with applicable regional,

national and local laws and regulations.

CONTAMINATED PACKAGING Disposal should be in accordance with applicable regional,

national and local laws and regulations.

CHEMICAL NAME CALIFORNIA HAZARDOUS WASTE STATUS

Potassium Hydroxide Toxic 1310-58-3 Corrosive

## 14. TRANSPORT INFORMATION

"Per 49 CFR 173.154, Corrosive Materials (class 8) in Packing Group III may be reclassified as Limited Quantities in inner packagings of 1.3 gallons or less and are excepted from the labeling requirements."

DOT

UN/ID No UN1760

Proper shipping name Corrosive liquids, n.o.s. (Potassium hydroxide, Sodium

metasilicate)

Hazard Class 8
Packing Group III

Reportable Quantity (RQ) potassium hydroxide 1000 lbs

**IATA** 

UN/ID No UN1760

Proper shipping name Corrosive liquids, n.o.s. (Potassium hydroxide, Sodium

metasilicate)

Hazard Class 8

Packing Group III

Reportable Quantity (RQ) potassium hydroxide 1000 lbs

**IMDG** 

**UN/ID No** UN1760

Proper shipping name Corrosive liquids, n.o.s. (Potassium hydroxide, Sodium

metasilicate)

**Hazard Class** 8

Packing Group III

Reportable Quantity (RQ) potassium hydroxide 1000 lbs



## 15. REGULATORY INFORMATION

#### INTERNATIONAL INVENTORIES

#### **LEGEND**

**TSCA** United States Toxic Substances Control Act Section 8(B)

Inventory

DSL/NDSL Canadian Domestic Substances List/Non-Domestic

**Substances List** 

**EINECS/ELINCS** European Inventory of Existing/Notified Chemical Substances

ENCS Japan Existing and New Chemical SubstancesIECSC China Inventory of Existing Chemical SubstancesKECL Korean Existing and Evaluated Chemical Substances

**PICCS** Philippines Inventory of Chemicals and Chemical Substances

## **U.S. FEDERAL REGULATIONS**

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous	CERCLA/SARA RQ	Reportable Quantity
	Substances RQs		(RQ)
Potassium Hydroxide	1000 lb		RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ

### **SARA 313/312 HAZARD CATEGORIES**

Chemical Name	CWA - Reportable Quantities	CWA - Toxio Pollutants		y CWA - Hazardous Substances
Potassium hydroxide	1000 lb			X
1310-58-3				
<b>Chemical Name</b>	Hazardous Substa	nces RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide	1000 lb			RQ 1000 lb final RQ RQ 45
1310-58-3				kg final RQ

## **U.S. STATE REGULATIONS**

#### **U.S. STATE RIGHT-TO-KNOW REGULATIONS**

CHEMICAL NAME	<b>NEW JERSEY</b>	MASSACHUSETTS	PENNSYLVANIA
Potassium Hydroxide	Y	Y	Y
1210 EQ 2	^	^	^

### 16. OTHER INFORMATION

NFPA	Not determined	FLAMMABILITY Not determined	INSTABILITY Not determined	SPECIAL HAZARDS  Not determined
HMIS	HEALTH HAZARDS  Not determined	FLAMMABILITY Not determined	PHYSICAL HAZARDS  Not determined	PERSONAL PROTECTION  Not determined



## **DISCLAIMER**

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## **END OF SAFETY DATA SHEET**