

ISSUE DATE: September 2013 REVISION DATE: January 2022 VERSION: 1

1. IDENTIFICATION

PRODUCT IDENTIFIER
PRODUCT NAME SLIP N' SLIDE

OTHER MEANS OF IDENTIFICATION

SDS Number E-017

Recommended Uses Cleaning agent.

SDS-SUPPLIER INFORMATION

E-ZOIL Products, Inc.

SUPPLIER ADDRESS DBA Emulso

2750 Kenmore Avenue Tonawanda, NY 14150

EMERGENCY TELEPHONE NUMBER

COMPANY PHONE NUMBER (716) 854-2889 **COMPANY FAX NUMBER** (716) 854-2809

24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686)

NORTH AMERICA 1-800-633-8253 INTERNATIONAL PERS 1-801-629-0667

2. HAZARDS IDENTIFICATION

CLASSIFICATION

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

SIGNAL WORD: Warning

APPEARANCE: According to product specification PHYSICAL STATE: Liquid

PRECAUTIONARY STATEMENTS

Wash face, hands and any exposed skin thoroughly after handling

PREVENTION Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

RESPONSE Immediately call poison center or doctor/ physician.

IF SWALLOWED Call POISON CENTER or doctor/ physician if you feel unwell. Rinse

mouth. Do NOT induce vomiting.

Rinse cautiously with water for several minutes. Remove contact lenses, if

IF IN EYES present and easy to do. Continue rinsing If eye irritation persists: Get

medical advice/attention



Wash with plenty of soap and water. If skin irritation or rash occurs: Get

IF ON SKIN/HAIR medical advice/attention Take off contaminated clothing and wash it before

euse

IF INHALED Remove victim to fresh air.

IF EXPOSED/CONCERNED Get medical advice/ attention.

STORAGE Store locked-up. Keep away from children.

DISPOSAL Dispose of contents/container to an approved waste disposal plant.

HAZARDS NOT OTHERWISE

CLASSIFIED (HNOC)

Harmful to aquatic life with long lasting effects

OTHER INFORMATION N/A

UNKNOWN ACUTE TOXICITY N/A

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	WEIGHT - %
Sodium dodecyl benzene sulphonate	25155-30-0	1-5
Ethyl Alcohol	64-17-5	<1

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE Provide this SDS to medical personnel for treatment.

EYE CONTACT Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and

upper eyelids. Consult a physician.

SKIN CONTACT Wash off immediately with plenty of water for at least 15 minutes.

INHALATION Remove to fresh air.

INGESTION Clean mouth with water and drink afterwards plenty of water.



If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

POTENTIAL ACUTE HEALTH EFFECTS

Most important symptoms and effects, both acute and delayed

SYMPTOMS Not determined.

NOTES TO PHYSICIAN Treat symptomatically

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

UNSUITABLE EXTINGUISHING MEDIA None known

SPECIFIC HAZARDS ARISING FROM CHEMICAL Not determined

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/ NIOSH (approved and equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

PERSONAL PRECAUTIONS Use personal protective equipment as required. **ENVIRONMENTAL PRECAUTIONS** See Section 12 for additional Ecological Information.

METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

CONTAMINATION Prevent further leakage or spillage is safe to do so **CLEAN-UP** None known based on information supplied.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

PROTECTIVE MEASURES Handle in accordance with good industrial hygiene and safety practice.

CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES)

STORAGE CONDITIONS Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

INCOMPATIBLE MATERIALS None known based on information supplied.



IDLH: 3300 ppm

TWA: 1000 ppm

TWA: 1900 mg/m3

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES

Chemical Name ACGIH TLV OSHA PEL NIOSH IDLH

Ethyl Alcohol 64-17-5

STEL: 1000 ppm TWA: 1000 ppm TWA: 1900 mg/m3 (vacated) TWA: 1000

ppm (vacated) TWA: 1900 mg/m3

ENGINEERING CONTROLS: Apply technical measures to comply with the occupational exposure limits.

INDIVIDUAL PROTECTION MEASURES

EYE/FACE PROTECTION Refer to 29 CFR 1910.133 for eye and face protection regulations. Refer to 29 CFR 1910.138 for appropriate skin and body protection. SKIN/BODY PROTECTION Refer to 29 CFR 1910.134 for respiratory protection requirements. RESPIRATORY PROTECTION **GENERAL HYGIENE** Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Liquid

According to product specification **APPERANCE**

> COLOR Not determined

ODOR Not determined

ODOR THRESHOLD Not determined

Not determined

MELTING POINT/FREEZING POINT Not determined **BOILING POINT/BOILING RANGE** Not determined

FLASH POINT Not determined

EVAPORATION RATE Not determined

FLAMMABILITY (SOLID, GAS) Not determined

UPPER FLAMMABILITY LIMITS Not determined

LOWER FLAMMABILITY LIMITS Not determined

VAPOR PRESSURE Not determined

SPECIFIC GRAVITY Not determined

RELATIVE DENSITY Not determined

WATER SOLUBILITY Not determined

PARTITION COEFFICIENT Not determined

N-OCTANOL/ WATER Not determined

AUTO-IGNITION TEMPERATURE Not determined **DECOMPOSITION TEMPERATURE** Not determined

> VISCOSITY Not determined



10. STABILITY AND REACTIVITY

REACTIVITY Not reactive under normal conditions

Stable under recommended storage conditions CHEMICAL STABILITY

POSSIBILITY OF HAZARDOUS REACTIONS None under normal processing

Keep out of reach of children CONDITIONS TO AVOID **INCOMPATIBLE MATERIALS** None known based on information supplied.

None known based on information supplied. HAZARDOUS DECOMPOSITION PRODUCTS

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure.

EYE CONTACT Avoid contact with eyes. SKIN CONTACT Avoid contact with skin.

INHALATION Do not inhale. **INGESTION** Do not ingest.

COMPONENT INFORMATION

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium dodecyl benzene	= 500 mg/kg (Rat)	-	-
sulphonate	= 438 mg/kg (Rat)		
25155-30-0			
Ethyl Alcohol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L(Rat)4 h
64-17-5			- , ,
Sodium xylenesulfonate 1300-72-7	= 1000 mg/kg (Rat)	-	-

SYMPTOMS Please see section 4 of this SDS for symptoms.

Ethanol has been shown to be carcinogenic in long-term studies only when **CARCINOGENICITY**

consumed as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol 64-17-5	A3	Group 1	Known	Х
		LEGEND		

	-
ACGIH	(American Conference of Governmental Industrial
AUGIII	Hygienists)
A3	Animal Carcinogen
IARC	(International Agency for Research on Cancer)
Group 1	Carcinogenic to Humans
NTP	National Toxicology Program)
Known	Known Carcinogen
OSHA	(Occupational Safety and Health Administration of the
	LIC Department of Labor)

US Department of Labor)

X Present

NUMERICAL MEASURES OF TOXICITY-PRODUCT Not determined.



12. ECOLOGICAL INFORMATION

ECOTOXICITY Harmful to aquatic life with long lasting effects.

$\sim \sim 10$		IENT	INIEODI	
CUIV	IPUN		INFURI	MATION

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium dodecyl benzene sulphonate 25155-30-0	-	10.8: 96 h Oncorhynchus mykiss mg/L LC50 static 12.0 - 16.0: 96 h Oncorhynchus mykiss	-	- 9268 - 14221: 48 h
Ethyl Alcohol 64-17-5	-	mL/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50
	PERSISTEN	CE AND DEGRADABILITY BIOACCUMULATION	Not determined Not determined	
		MOBILITY		

Chemical Name Ethyl Alcohol 64-17-5 **Partition Coefficient**

-0.32

OTHER ADVERSE EFFECTS Not determined

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

WASTE DISPOSAL Disposal should be in accordance with applicable regional,

national and local laws and regulations.

CONTAMINATED PACKAGING

Disposal should be in accordance with applicable regional,

national and local laws and regulations.

CALIFORNIA HAZARDOUS WASTE STATUS

Chemical Name California Hazardous Waste Status

Ethyl Alcohol Toxic 64-17-5 Ignitable



14. TRANSPORT INFORMATION

NOTE

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

Not regulated

IATA

Not regulated

IMDG

Marine Pollutant

This material may meet the definition of a marine pollutant.

15. REGULATORY INFORMATION

INTERNATIONAL INVENTORIES

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Sodium dodecyl benzene	Present	Χ		Present		Present	Χ	Present	Χ	Χ
sulphonate	Present	Χ		Present		Present	Χ	Present	Χ	Χ

LEGEND

TSCA United States Toxic Substances Control Act Section 8(B)

Inventory

DSL/NDSL Canadian Domestic Substances List/Non-Domestic

Substances List

EINECS/ELINCS European Inventory of Existing/Notified Chemical Substances

ENCS Japan Existing and New Chemical SubstancesIECSC China Inventory of Existing Chemical SubstancesKECL Korean Existing and Evaluated Chemical Substances

PICCS Philippines Inventory of Chemicals and Chemical Substances

AICS Australian Inventory of Chemical Substances

U.S. FEDERAL REGULATIONS

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium dodecyl benzene	1000 lb		RQ 1000 lb final RQ
sulphonate			RQ 454 kg final RQ
25155-30-0			-

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372



CLEAN WATER ACT (CWA)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

 Chemical Name
 CWA - Reportable Quantities
 CWA - Toxic Pollutants
 CWA - Priority Pollutants
 CWA - Hazardous Substances

 Sodium dodecyl
 1000 lb
 X

benzene sulphonate

U.S. STATE REGULATIONS

CALIFORNIA PROPOSITION 65

Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical Name California Proposition 65

Ethyl Alcohol 64-17-5

Carcinogen Developmental

U.S. STATE RIGHT-TO-KNOW REGULATIONS

This product does not contain any substances regulated under applicable state right-to-know regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium dodecyl benzene			_
sulphonate	X	X	X
25155-30-0			
Ethyl Alcohol	V	V	V
64-17-5	^	^	X

16. OTHER INFORMATION					
NFPA	HEALTH HAZARDS	FLAMMABILITY	INSTABILITY	SPECIAL HAZARDS	
NFPA	Not determined	Not determined	Not determined	Not determined	
LIMIC	HEALTH HAZARDS	FLAMMABILITY	PHYSICAL HAZARDS	PERSONAL PROTECTION	
HMIS	Not determined	Not determined	Not determined	Not determined	

DISCI AIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

END OF SAFETY DATA SHEET