

ISSUE DATE: September 2013

REVISION DATE: January 2022

VERSION: 1

1. IDENTIFICATION

PRODUCT IDENTIFIER

PRODUCT NAME SURE SHINE

OTHER MEANS OF IDENTIFICATION

Product Code A22

Recommended Uses Stainless Steel Cleaner

SDS-SUPPLIER INFORMATION

SUPPLIER ADDRESS E-ZOIL Products, Inc.
DBA Emulso
2750 Kenmore Avenue
Tonawanda, NY 14150

EMERGENCY TELEPHONE NUMBER

COMPANY PHONE NUMBER (716) 854-2889
COMPANY FAX NUMBER (716) 854-2809
24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686)
NORTH AMERICA 1-800-633-8253
INTERNATIONAL PERS 1-801-629-0667

2. HAZARDS IDENTIFICATION

CLASSIFICATION

Flammable liquids Category 3
Aspiration hazard Category 1
Chronic aquatic toxicity Category 4

SIGNAL WORD Danger

HAZARD STATEMENTS



HAZARD STATEMENTS

1. Flammable liquid and vapor.
2. May be fatal if swallowed and enters airways.
3. May cause long lasting harmful effects to aquatic life.

APPEARANCE Liquid

PHYSICAL STATE Liquid

PRECAUTIONARY STATEMENTS

PREVENTION	Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling
RESPONSE	Immediately call poison center or doctor/ physician.
IF SWALLOWED	Call POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.
IF IN EYES	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention.
IF ON SKIN/HAIR	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse.
IF INHALED	Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a poison center or doctor/physician if you feel unwell.
IF EXPOSED/CONCERNED	Get medical advice/ attention.
STORAGE	Store locked-up. Keep away from children.
DISPOSAL	Dispose of contents/container to an approved waste disposal plant.
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)	N/A

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	WEIGHT - %
Naphtha (petroleum), heavy alkylate	64741-65-7	<=100

4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	Provide this SDS to medical personnel for treatment.
EYE CONTACT	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
SKIN CONTACT	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.



Safety Data Sheet

INHALATION Remove person to fresh air and keep at rest in a position comfortable for breathing. Immediately call poison center or doctor/ physician.

INGESTION Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink 1-2 glasses of water. Immediate medical attention is required.

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

POTENTIAL ACUTE HEALTH EFFECTS

Most important symptoms and effects, both acute and delayed

SYMPTOMS If material enters lungs, signs and symptoms may include coughing, choking, wheezing, difficulty in breathing, chest congestion, shortness of breath, and/or fever. Defatting dermatitis signs and symptoms may include a burning sensation and/or a dried/cracked appearance.

NOTES TO PHYSICIAN Treat symptomatically

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA Foam, water spray or fog. Dry chemical powder. carbon dioxide, sand or earth may be used for small fires only.

UNSUITABLE EXTINGUISHING MEDIA Do not use water in a jet.

SPECIFIC HAZARDS ARISING FROM CHEMICAL A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds. Flammable vapors may be present even at temperatures below the flash point. The vapor is heavier than air, spreads along the ground and distant ignition is possible. Will float and can be reignited on surface water.

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/ NIOSH (approved and equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

PERSONAL PRECAUTIONS	Use personal protective equipment as required. Shut off leaks, if possible without personal risks. Remove all possible sources of ignition in the surrounding area. Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers. Attempt to disperse the vapor or to direct its flow to a safe location for example by using fog sprays. Take precautionary measures against static discharge. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Monitor area with combustible gas indicator.
ENVIRONMENTAL PRECAUTIONS	

METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

CONTAMINATION	Prevent further leakage or spillage is safe to do so For small liquid spills (< 1 drum), transfer by mechanical means to a labeled, sealable container for product recovery or safe disposal. Allow residues to evaporate or soak up with an appropriate absorbent material and dispose of safely. Remove contaminated soil and dispose of safely.
CLEAN-UP	For large liquid spills (> 1 drum), transfer by mechanical means such as vacuum truck to a salvage tank for recovery or safe disposal. Do not hush away residues with water. Retain as contaminated waste. Allow residues to evaporate or soak up with an appropriate absorbent material and dispose of safely. Remove contaminated soil and dispose of safely. Ventilate contaminated area thoroughly. If contamination of site occurs remediation may require specialist advice.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

PROTECTIVE MEASURES	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Do not breathe dust/fume/gas/mist/vapor/spray. Do not eat, drink, or smoke when using this product. Use personal protection recommended in Section 8.
----------------------------	--

CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES)

STORAGE CONDITIONS	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.
INCOMPATIBLE MATERIALS	Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Stoddard Solvent 8052-41-3	TWA: 100 ppm	TWA: 500ppm 2,900 mg/m3	-

ENGINEERING CONTROLS: Apply technical measures to comply with the occupational exposure limits.

INDIVIDUAL PROTECTION MEASURES

EYE/FACE PROTECTION	Refer to 29 CFR 1910.133 for eye and face protection regulations.
SKIN/BODY PROTECTION	Refer to 29 CFR 1910.138 for appropriate skin and body protection.
RESPIRATORY PROTECTION	Refer to 29 CFR 1910.134 for respiratory protection requirements.
GENERAL HYGIENE	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Liquid
APPERANCE	According to product specification
COLOR	Light Colored
ODOR	Hydrocarbon
ODOR THRESHOLD	Not determined
pH	Not determined
MELTING POINT/FREEZING POINT	Not determined
BOILING POINT/BOILING RANGE	175.0 - 195.0 °C 1347.0 - 383.0°F
FLASH POINT	51°C/124°F
EVAPORATION RATE	0.1
FLAMMABILITY (SOLID, GAS)	Not determined
UPPER EXPLOSION LIMITS	7.0%(V)
LOWER EXPLOSION LIMITS	0.6 %(V)
VAPOR PRESSURE	0.07 kPa (20°C 168°F)
SPECIFIC GRAVITY	Not determined
RELATIVE DENSITY	0.758 (15.6°C 160.1°F)
WATER SOLUBILITY	0.05 g/l negligible
PARTITION COEFFICIENT	Not determined
N-OCTANOL/ WATER	Not determined
AUTO-IGNITION TEMPERATURE	Not determined
DECOMPOSITION TEMPERATURE	Not determined
VISCOSITY	Not determined

10. STABILITY AND REACTIVITY

REACTIVITY	Not reactive under normal conditions
CHEMICAL STABILITY	Stable under recommended storage conditions
POSSIBILITY OF HAZARDOUS REACTIONS	Reacts with strong oxidizing agents.
CONDITIONS TO AVOID	Keep out of reach of children. Avoid heat, sparks, open flames and other ignition sources. In certain circumstances product can ignite due to static electricity.
INCOMPATIBLE MATERIALS	Strong oxidizing agents.
HAZARDOUS DECOMPOSITION PRODUCTS	None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure.

EYE CONTACT	Causes severe eye damage.
SKIN CONTACT	Avoid contact with skin.
INHALATION	Avoid breathing vapors or mists.
INGESTION	May be harmful if swallowed.

COMPONENT INFORMATION

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Stoddard Solvent 8052-41-3	> 5,000 mg/kg (Rat)	> 5,000 mg/kg (Rabbit)	Greater than near-saturated vapor concentration.

SYMPTOMS Please see section 4 of this SDS for symptoms.

CARCINOGENICITY Not expected to be carcinogenic" Tumors produced in animals are not considered relevant to humans.

NUMERICAL MEASURES OF TOXICITY-PRODUCT Not determined.

12. ECOLOGICAL INFORMATION

ECOTOXICITY Incomplete ecotoxicological data are available for this product The information given below is based partly on a knowledge of the components and the ecotoxicology of similar products.

PERSISTENCE AND DEGRADABILITY	Not determined
BIOACCUMULATION	Has the potential to bioaccumulate.
OTHER ADVERSE EFFECTS	Not determined
MOBILITY	Floats on water. If it enters soil it will adsorb to soil particles and will not be mobile.

13. DISPOSAL CONSIDERATIONS**WASTE TREATMENT METHODS**

WASTE DISPOSAL	Disposal should be in accordance with applicable regional, national and local laws and regulations.
CONTAMINATED PACKAGING	Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION**DOT**

UN Number	UN1268
UN Proper Shipping Name	Petroleum distillates. n.o.s.solution
Transport Hazard Class	3
Packing Group	III

IATA

UN Number	UN1268
UN Proper Shipping Name	Petroleum distillates. n.o.s.solution
Transport Hazard Class	3
Packing Group	III

IMDG

UN Number	UN1268
UN Proper Shipping Name	Petroleum distillates. n.o.s.solution
Transport Hazard Class	3
Packing Group	III

15. REGULATORY INFORMATION**LEGEND**

TSCA	United States Toxic Substances Control Act Section 8(B) Inventory
DSL/NDSL	Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS	European Inventory of Existing/Notified Chemical Substances
ENCS	Japan Existing and New Chemical Substances
IECSC	China Inventory of Existing Chemical Substances
KECL	Korean Existing and Evaluated Chemical Substances
PICCS	Philippines Inventory of Chemicals and Chemical Substances

U.S. FEDERAL REGULATIONS**CERCLA**

This material, as supplied, does not contain one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).



SARA 311/312 HAZARD CATEGORIES

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

CLEAN WATER ACT (CWA)

This product does not contain any substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

16. OTHER INFORMATION

NFPA	HEALTH HAZARDS	FLAMMABILITY	INSTABILITY	SPECIAL HAZARDS
	1	2	Not determined	Not determined
HMIS	HEALTH HAZARDS	FLAMMABILITY	PHYSICAL HAZARDS	PERSONAL PROTECTION
	1	2	Not determined	Not determined

DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

END OF SAFETY DATA SHEET