

ISSUE DATE: September 2013

REVISION DATE: January 2022

VERSION: 1

1. IDENTIFICATION

PRODUCT IDENTIFIER

PRODUCT NAME GREASE BUSTER

OTHER MEANS OF IDENTIFICATION

Recommended Uses Oven & grill cleaner

SDS-SUPPLIER INFORMATION

SUPPLIER ADDRESS E-ZOIL Products, Inc.
DBA Emulso
2750 Kenmore Avenue
Tonawanda, NY 14150

EMERGENCY TELEPHONE NUMBER

COMPANY PHONE NUMBER (716) 854-2889
COMPANY FAX NUMBER (716) 854-2809
24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686)
NORTH AMERICA 1-800-633-8253
INTERNATIONAL PERS 1-801-629-0667

2. HAZARDS IDENTIFICATION

CLASSIFICATION

Skin corrosion Category 1B
Eye corrosion Category 1
Acute Toxicity (Oral) Category 4
Corrosive to metals Category 1

SIGNAL WORD Danger

HAZARD STATEMENTS



HAZARD STATEMENTS

1. Causes severe skin burns and eye damage.
2. Causes serious eye damage
3. Harmful if swallowed
4. May be corrosive to metals

APPEARANCE Liquid

PHYSICAL STATE Liquid

PRECAUTIONARY STATEMENTS

PREVENTION	Do not breathe mist/vapors/spray. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection Do not eat, drink or smoke when using this product. Keep only in original container.
RESPONSE	Immediately call poison center or doctor/ physician.
IF SWALLOWED	Call POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.
IF IN EYES	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention.
IF ON SKIN/HAIR	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse.
IF INHALED	Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a poison center or doctor/physician if you feel unwell.
IF EXPOSED/CONCERNED	Get medical advice/ attention.
STORAGE	Store locked-up. Keep away from children.
DISPOSAL	Dispose of contents/container to an approved waste disposal plant.
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)	N/A

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	WEIGHT - %
Potassium Hydroxide	1310-58-3	10-20
Ethylene glycol butyl ether	111-76-2	0-5
Water	7732-18-5	To 100
Dye	N/A	<0.1

4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	Provide this SDS to medical personnel for treatment.
EYE CONTACT	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
SKIN CONTACT	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
INHALATION	Remove person to fresh air and keep at rest in a position comfortable for breathing. Immediately call poison center or doctor/ physician.
INGESTION	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink 1-2 glasses of water. Immediate medical attention is required.

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

POTENTIAL ACUTE HEALTH EFFECTS

Most important symptoms and effects, both acute and delayed

SYMPTOMS Causes skin irritation. Causes serious eye damage.

NOTES TO PHYSICIAN Treat symptomatically

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

UNSUITABLE EXTINGUISHING MEDIA None known

SPECIFIC HAZARDS ARISING FROM CHEMICAL Not determined

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/ NIOSH (approved and equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

PERSONAL PRECAUTIONS Use personal protective equipment as required.
ENVIRONMENTAL PRECAUTIONS See Section 12 for additional Ecological Information.

METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

CONTAMINATION Prevent further leakage or spillage is safe to do so.
CLEAN-UP Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

PROTECTIVE MEASURES Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Do not breathe dust/fume/gas/mist/vapor/spray. Do not eat, drink, or smoke when using this product. Use personal protection recommended in Section 8.

CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES)

STORAGE CONDITIONS Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

INCOMPATIBLE MATERIALS None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium Hydroxide 1310-58-3	STEL: 2 mg/m ³	TWA: 2 mg/m ³	
Ethylene glycol butyl ether 111-76-2	TWA: 20 ppm TWA: 97 mg/m ³	TWA: 50 ppm TWA: 240 mg/m ³	

ENGINEERING CONTROLS: Apply technical measures to comply with the occupational exposure limits.

INDIVIDUAL PROTECTION MEASURES

EYE/FACE PROTECTION Refer to 29 CFR 1910.133 for eye and face protection regulations.
SKIN/BODY PROTECTION Refer to 29 CFR 1910.138 for appropriate skin and body protection.
RESPIRATORY PROTECTION Refer to 29 CFR 1910.134 for respiratory protection requirements.
GENERAL HYGIENE Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Liquid
APPERANCE	According to product specification
COLOR	Brown
ODOR	Characteristic
ODOR THRESHOLD	Not determined
pH	13.0 to 14.0
MELTING POINT/FREEZING POINT	32 ° F; 0 ° C
BOILING POINT/BOILING RANGE	212 ° F; 100 ° C
FLASH POINT	Not determined
EVAPORATION RATE	(Water =1) 1.0
FLAMMABILITY (SOLID, GAS)	Not determined
UPPER FLAMMABILITY LIMITS	Not determined
LOWER FLAMMABILITY LIMITS	Not determined
VAPOR PRESSURE	~ 20 mm Hg at (68°F)
SPECIFIC GRAVITY	~ 1.087 grams/ml.
RELATIVE DENSITY	9.07
WATER SOLUBILITY	Complete
PARTITION COEFFICIENT	Not determined
N-OCTANOL/ WATER	Not determined
AUTO-IGNITION TEMPERATURE	Not determined
DECOMPOSITION TEMPERATURE	Not determined
VISCOSITY	Water thin

10. STABILITY AND REACTIVITY

REACTIVITY	Not reactive under normal conditions
CHEMICAL STABILITY	Stable under recommended storage conditions
POSSIBILITY OF HAZARDOUS REACTIONS	None under normal processing
CONDITIONS TO AVOID	Keep out of reach of children. Reacts violently with strong acids.
INCOMPATIBLE MATERIALS	Strong acids, oxidizers
HAZARDOUS DECOMPOSITION PRODUCTS	None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure.

EYE CONTACT	Causes severe eye damage.
SKIN CONTACT	Avoid contact with skin.
INHALATION	Avoid breathing vapors or mists.
INGESTION	May be harmful if swallowed.

COMPONENT INFORMATION

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Potassium Hydroxide 1310-58-3	214 mg/kg (rat)	-	-
Ethylene glycol butyl ether 111-76-2	1300 mg/kg (rat)	> 2000 mg/kg (rabbit)	> 3.1 mg/l

SYMPTOMS Please see section 4 of this SDS for symptoms.

CARCINOGENICITY The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Isopropyl Alcohol (IPA) is an IARC Monograph Group 3 chemical. IPA is a Group 1 when manufactured by the strong-acid process.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene glycol butyl ether 111-76-2		Group 3		

NUMERICAL MEASURES OF TOXICITY-PRODUCT Not determined.

12. ECOLOGICAL INFORMATION

ECOTOXICITY This material may be toxic to aquatic life.

PERSISTENCE AND DEGRADABILITY	Not determined
BIOACCUMULATION	Not determined
OTHER ADVERSE EFFECTS	Not determined

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

WASTE DISPOSAL	Disposal should be in accordance with applicable regional, national and local laws and regulations.
CONTAMINATED PACKAGING	Disposal should be in accordance with applicable regional, national and local laws and regulations.



14. TRANSPORT INFORMATION

DOT

PROPER SHIPPING NAME Compound, Cleaning Liquid
TECHNICAL NAME Potassium Hydroxide Solution
PRIMARY HAZARD CLASS/DIVISION 8
UN/NA NUMBER UN1760
PACKING GROUP III

IATA

PROPER SHIPPING NAME Compound, Cleaning Liquid
TECHNICAL NAME Potassium Hydroxide Solution
PRIMARY HAZARD CLASS/DIVISION 8
UN/NA NUMBER UN1760
PACKING GROUP III

IMDG

PROPER SHIPPING NAME Compound, Cleaning Liquid
TECHNICAL NAME Potassium Hydroxide Solution
PRIMARY HAZARD CLASS/DIVISION 8
UN/NA NUMBER UN1760
PACKING GROUP III

15. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide 1310-58-3	1000 lb	1000 lb	RQ 1000 lb

SARA 313/312 HAZARD CATEGORIES

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene glycol butyl ether	111-76-2	0-5	



Safety Data Sheet

U.S. STATE REGULATIONS

U.S. STATE RIGHT-TO-KNOW REGULATIONS

CHEMICAL NAME	NEW JERSEY	MASSACHUSETTS	PENNSYLVANIA
Sodium Silicate	X		X
Sodium Hydroxide	X	X	X
Potassium Hydroxide	X	X	X
Ethylene glycol butyl ether	X	X	X

16. OTHER INFORMATION

NFPA	HEALTH HAZARDS	FLAMMABILITY	INSTABILITY	SPECIAL HAZARDS
	3	Not determined	Not determined	Not determined

HMIS	HEALTH HAZARDS	FLAMMABILITY	PHYSICAL HAZARDS	PERSONAL PROTECTION
	3	Not determined	Not determined	D

DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

END OF SAFETY DATA SHEET